


12th
INTERNATIONAL
SYMPOSIUM

MODERN
TRENDS
IN LIVESTOCK
PRODUCTION



P R O C E E D I N G S

9 -11 October 2019, Belgrade, Serbia

Institute for Animal Husbandry

Belgrade - Zemun, SERBIA

12th
INTERNATIONAL
SYMPOSIUM

MODERN
TRENDS
IN LIVESTOCK
PRODUCTION



P R O C E E D I N G S

9 -11 October 2019, Belgrade, Serbia

EDITORIAL COUNCIL

Prof. Dr. Giacomo Biagi, Faculty of Veterinary Medicine, University of Bologna, Italy
Prof. Dr. Martin Wähler, Faculty of Applied Sciences, Bernburg, Germany
Dr. Milan P. Petrović, Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Dr. Dragana Ružić-Muslić, Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Prof. Dr. Radica Đedović, Faculty of Agriculture, University of Belgrade, Serbia
Prof. Dr. Lidija Perić, Faculty of Agriculture, University of Novi Sad, Serbia
Dr. Maya Ignatova, Institute of Animal Science, Kostinbrod, Bulgaria
Prof. Dr. Kazutaka Umetsu, Obihiro University of Agriculture and Veterinary Medicine, Obihiro, Japan
Prof. Dr. Dragan Glamočić, Faculty of Agriculture, University of Novi Sad, Serbia
Dr. Marina Selionovna, Russian Scientific Research Institute of Sheep and Goat Breeding, Stavropol, Russia
Prof. Dr. Vigilijus Jukna, Institute of Energy and Biotechnology Engineering, Aleksandras Stulginskis University, Kaunas, Lithuania
Dr. Vesna Krnjaja, Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Elena Kistanova, Institute of Biology and Immunology of Reproduction „Kiril Bratanov“, Sofia, Bulgaria
Prof. Dr. Pero Mijić, Faculty of Agriculture, University of Osijek, Croatia
Prof. Dr. Marjeta Čandek-Potokar, Agricultural Institute of Slovenia, Ljubljana, Slovenia
Prof. Dr. Peter Dovč, Department of Animal Science, Biotechnical Faculty, University of Ljubljana, Slovenia
Dr. Miloš Lukić, Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Prof. Dr. Wladyslaw Migdal, University of Agriculture, Krakow, Poland
Dr. Ivan Bahelka, National Agricultural and Food Centre – Research Institute for Animal Production, Lužianky, Slovakia
Dr. Vlada Pantelić, Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Prof. Dr. Sandra Edwards, School of Agriculture, Food and Rural Development, University of Newcastle, United Kingdom
Prof. Dr. Stelios Deligeorgis, Greece;
Prof. Dr. Hasan Ulker, Turkey
Dr. Catalin Dragomir, National Research and Development Institute for Animal Biology and Nutrition (IBNA Balotesti), Balotesti, Ilfov, Romania

Publisher

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Editor-in-Chief

Čedomir Radović, PhD, Research associate
Director of the Institute for Animal Husbandry, Belgrade-Zemun

EDITORIAL BOARD

Editor

Zdenka Škrbić, PhD, Principal Research Fellow
Institute for Animal Husbandry, Belgrade-Zemun

Section Editors

Animal Science

Dušica Ostojić-Andrić, PhD, Research Associate
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Violeta Caro Petrović, PhD, Research Associate
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Nevena Maksimović, PhD, Research Associate
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Veselin Petričević, PhD, Research Associate
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Dragan Nikšić, PhD, Research Associate
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Feed Science

Zorica Bijelić, PhD, Senior Research Associate
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Violeta Mandić, PhD, Senior Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Technology and quality of animal products

Prof. Marjeta Čandek-Potokar, PhD

Agricultural Institute of Slovenia, Ljubljana, Slovenia

Nikola Stanišić, PhD, Research Associate

Innovative Center AVEBE U.A., Groningen, Netherlands

Maja Petričević, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Food safety, Veterinary Medicine Science

Aleksandar Stanojković, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Language editor

Olga Devečerski, grad.prof

Address of the Editor's office

Institute for Animal Husbandry, Autoput 16, P. Box 23, 11080 Belgrade-Zemun, Republic of Serbia Tel. 381 11

2691 611, 2670 121; Fax 381 11 2670 164;

e-mail: biotechnology.izs@gmail.com; www.istocar.bg.ac.rs

Circulation 150 copies.

The publication of this Proceedings is sponsored by the Ministry of Education and Science of the Republic of Serbia.

The Proceedings is printed by the Institute for Animal Husbandry, Belgrade, 2019

ISBN 978-86-82431-76-3

PATRON

Ministry of Education, Science and Technological
Development of the Republic of Serbia

ORGANIZER

Institute for Animal Husbandry
Autoput 16, P. Box. 23,
11080, Belgrade-Zemun, Serbia
Tel: +381 11 2691 611; +381 11 2670 121;
+381 11 2670 541;
Fax: + 381 11 2670 164;



biotechnology.izs@gmail.com
www.istocar.bg.ac.rs

INTERNATIONAL SCIENTIFIC COMMITTEE

CHAIRMAN

Prof. Dr. **Giacomo Biagi**,
Department of Veterinary Medical Sciences, University of Bologna, Italy

SECRETARY

Dr. **Milan P. Petrović**,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

MEMBERS

Dr. **Čedomir Radović**,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. **Milan M. Petrović**,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. **Martin Wähner**,
Anhalt. University of Applied Sciences, Bernburg, Germany

Dr. **Vesna S. Krnjaja**,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. **Marina I. Selionova**,
FSBSI-All-Russian Scientific Research Institute of Sheep and Goat Breeding,
Stavropol, Russia

Prof. Dr. **Marjeta Čandek-Potokar**,
Agricultural Institute of Slovenia, Slovenia

Prof. Dr. **Elena Kistanova**,
Institute of Biology and Immunology of Reproduction „Kiril Bratanov“,
Sofia, Bulgaria

Dr. **Dragana Ružić-Muslić**,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. **Snežana Mladenović Drnić**,
Maize Research Institute „Zemun Polje“, Zemun Polje, Serbia

Dr. **Zdenka Škrbić**,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. **Radica Đedović**,
University of Belgrade, Faculty of Agriculture, Serbia

Prof. Dr. **Lidija Perić**,
University of Novi Sad, Faculty of Agriculture, Serbia

Prof. Dr. **Wladyslaw Migdal**,
Department of Animal Product Technology,
University of Agriculture in Kraków, Poland

Prof. Dr. **Danijela Kirovski**,
University of Belgrade, Faculty of Veterinary Medicine, Serbia





Dr. Miloš Lukić,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Vlada Pantelić,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. Randelin Dmitry Alexandrovich,

Faculty of Biotechnology and Veterinary Medicine,

Volgograd State Agricultural University, Russia

Assoc. Prof. Itskovich Aleksandr Yuryevich,

Faculty of Biotechnology and Veterinary Medicine,

Volgograd State Agricultural University, Russia

Prof. Dr. Dragan Radojković,

University of Belgrade, Faculty of Agriculture, Serbia

Prof. Dr. Milun Petrović,

University of Kragujevac, Faculty of Agronomy, Serbia

Prof. Dr. Dragan Glamočić,

University of Novi Sad, Faculty of Agriculture, Serbia

Prof. Dr. Snežana Trivunović,

University of Novi Sad, Faculty of Agriculture, Serbia

Prof. Dr. Predrag Perišić,

University of Belgrade, Faculty of Agriculture, Serbia

Prof. Dr. Zoran Ilić,

University of Pristina, Faculty of Agricultural Sciences, Lešak, Serbia

Prof. Dr. Maya Ignatova,

Institute of Animal Science, Kostinbrod, Bulgaria

Dr. Ivan Pavlović,

Scientific Veterinary Institute of Serbia, Serbia

Dr. Snežana Ivanović,

Scientific Veterinary Institute of Serbia, Serbia

Prof. Dr. Vigilijus Jukna,

Institute of Energy and Biotechnology Engineering,

Aleksandras Stulginskis University, Lithuania

Dr. Giuseppe Bee,

Agroscope Posieux, Posieux, Switzerland

Dr. Zorica Bijelić,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Violeta Mandić,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. Yusup A. Yuldashbaev,

Russian State Agrarian University, Moscow, Timiryazev Agricultural Academy,

Faculty of Animal Science and Biology, Russia



Prof. Dr. **Pero Mijić,**

Josip Juraj Strossmayer University of Osijek,
Faculty of Agrobiotechnical Sciences, Osijek, Croatia

Prof. Dr. **Zoran Luković,**

University of Zagreb, Faculty of Agriculture,
Department of Animal Science and Technology, Croatia

Prof. Dr. **Ivan Radović,**

University of Novi Sad, Faculty of Agriculture, Serbia

Prof. Dr. **Aleksandar Simić,**

University of Belgrade, Faculty of Agriculture, Serbia

Prof. Dr. **Nikola Pacinovski,**

Ss Cyril and Methodius University in Skopje,
Institute of Animal Science, North Macedonia

Prof. Dr. **Yessenbay Islamov,**

Kazakh National Agrarian University, Kazakhstan

Prof. Dr. **Yalçın Bozkurt,**

Isparta University of Applied Science,
Department of Animal Science, Isparta, Turkey

Prof. Dr. **Slavča Hristov,**

University of Belgrade, Faculty of Agriculture, Serbia

Prof. Dr. **Ricmar P. Aquino,**

University President, Isabela State University, Philippines

Prof. Dr. **Rosa Nieto,**

Department of Physiology and Biochemistry of Animal Nutrition Estacion
Experimental del Zaidín, CSIC Armilla, Granada, Spain

Dr. **Juan M. García Casco,**

Departamento Mejora Genética Animal, INIA, Madrid, Spain

Dr. **Violeta Anđelković,**

Maize Research Institute „Zemun Polje“, Zemun Polje, Serbia

Dr. **Slavica Stanković,**

Maize Research Institute „Zemun Polje“, Zemun Polje, Serbia

Prof. Dr. **Rui Miguel Carracha Charneca,**

Universidade de Évora, Escola de Ciências e Tecnologia,
Instituto de Ciências Agrárias e Ambientais Mediterrânicas (ICAAM),
Évora, Portugal

Dr. **Ivan Bahelka,**

NPPC - Research Institute for Animal Production Nitra, Slovakia

Dr. **Jean-Louis Peyraud,**

INRA, UMR PEGASE, France

ORGANIZING COMMITTEE

CHAIRMAN

Dr. Milan P. Petrović,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

SECRETARY

Dr. Veselin Petričević,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

MEMBERS

Dr. Dušica Ostojić Andrić,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Violeta Caro Petrović,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. **Vladan Bogdanović,**
University of Belgrade, Faculty of Agriculture, Serbia

Prof. Dr. **Nenad Đorđević,**
University of Belgrade, Faculty of Agriculture, Serbia

Assoc. Prof. **Tanja Petrović,**
University of Belgrade, Faculty of Agriculture, Serbia

Dr. Aleksandar Stanojković,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Nevena Maksimović,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Dragan Nikšić,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Maja Petričević,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Nikola Delić,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia



SYMPOSIUM SECRETARIAT

CHAIRMAN

Dr. Veselin Petričević,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

MEMBERS

Slavko Maletić, grad. econ.
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Olga Devečerski, grad. prof.
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Arch **Stanislav Marinkov,**
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Marina Lazarević, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Nenad Mičić, Msc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Bogdan Cekić, Msc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Miloš Marinković, Msc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Marija Gogić, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Vladimir Živković, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Nenad Stojiljković, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Nikola Molerović, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Ivan Čosić, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia





Address:

Institute for Animal Husbandry,
Autoput 16, P. Box 23,
11080, Belgrade-Zemun, Serbia

Tel:

+381 11 2691 611

+381 11 2670 121

+381 11 2670 541

Fax:

+381 11 2670 164

E-mail: biotechnology.izs@gmail.com

www.istocar.bg.ac.rs

CONTENTS

INVITED PAPERS

<i>Čedomir Radović, Marija Gogić, Dragan Radojković, Vladimir Živković, Nenad Parunović, Aleksandar Stanojković, Radomir Savić</i> AGRO BIODIVERSITY AND LIVESTOCK FARMING: AUTOCHTHONOUS SPECIES AND BREEDS IN SERBIA (Serbia).....	1-12
<i>Vesna Gantner, Irena Jug</i> THE FUTURE OF AGRICULTURE PRODUCTION – COULD THE FORECASTED EVENTS BE ALTERED? (Croatia).....	13-22
<i>Slavča Hristov, Dušica Ostojić Andrić, Branislav Stanković</i> GENERAL PRINCIPLES AND GOOD ANIMAL WELFARE PRACTICES ON DAIRY CATTLE FARMS (Serbia).....	23-38
<i>Dušica Ostojić Andrić, Slavča Hristov, Radica Đedović, Teodora Popova, Vlada Pantelić, Dragan Nikšić, Nenad Mičić</i> EMOTIONAL STATE OF DAIRY COWS IN LOOSE AND TIED HOUSING SYSTEM - IS THERE A DIFFERENCE? (Serbia- Bulgaria).....	39-47
<i>Pero Mijić, Tina Bobić, Mirjana Baban, Maja Gregić, Franjo Poljak, Vesna Gantner</i> EFFECT OF STARTING MILK FLOW ON UDDER HEALT OF HOLSTEIN COWS (Croatia).....	48-54
<i>Dragan Nikšić, Vlada Pantelić, Dušica Ostojić Andrić, Predrag Perišić, Nenad Mičić, Marina Lazarević, Maja Petričević</i> FREQUENCY OF κ -CASEIN AND β -LACTOGLOBULIN GENOTYPES IN DAUGHTERS OF FIVE SIMMENTAL BULL SIREs (Serbia).....	55-63
<i>Marina I. Selionova, Magomet M. Aybazov, Milan P. Petrovic, Galina T. Bobryshova, Violeta Caro Petrovic</i> SCIENTIFIC DIRECTIONS OF SHEEP BREEDING DEVELOPMENT IN RUSSIA (Russia-Serbia).....	64-73
<i>Yessenbay E. Islamov, Gulzhan A. Kulmanova</i> CONDITION AND PROSPECTS OF SHEEP BREEDING DEVELOPMENT IN KAZAKHSTAN (Kazakhstan).....	74-85

<p><i>Violeta Caro Petrović, Milan P. Petrović Marina I. Selionova, Dragana Ružić-Muslić, Nevena Maksimović, Bogdan Cekić, Ivan Pavlović</i> SOME NON-GENETIC FACTORS AFFECTING LAMBS BIRTH WEIGHT IN F1 GENERATION OF MIS X ILE DE FRANCE (Serbia).....</p>	86-93
<p><i>Marjeta Čandek-Potokar, Nina Batorek Lukač, Urška Tomažin, Rosa Nieto</i> GROWTH RATE OF LOCAL PIG BREEDS: STUDY OF PROJECT TREASURE (Slovenia-Spain).....</p>	94-104
<p><i>Dubravko Škorput, Zoran Luković</i> SELECTION OPPORTUNITIES AND MAINTAINING GENETIC DIVERSITY IN LOCAL PIG BREEDS (Croatia).....</p>	105-114
<p><i>Juan M. García Casco, Juan L. Duarte, Carmen Caraballo, Miguel A. Fernández, Patricia Palma, María Muñoz</i> A GENETIC EVALUATION PROGRAM FOR MEAT QUALITY TRAITS IN IBERIAN BOARS FROM DIFFERENT LIVESTOCK ORIGINS (Spain).....</p>	115-122
<p><i>Patricia Palma Granados, Isabel Seiquer, Luis Lara, Ana Haro, Rosa Nieto</i> PROTEIN AND LIPID METABOLISM AND THEIR INTERACTION IN FATTY (IBERIAN) PIGS (Spain).....</p>	123-136
<p><i>Giacomo Biagi, Monica Grandi, Carlo Pinna, Carla Giuditta Vecchiato</i> HOW NUTRITION MAY INFLUENCE CANINE BEHAVIOR AND COGNITIVE ABILITIES (Italy).....</p>	137-147
<p><i>Aleksandar Stanojković, Čedomir Radović, Aleksandra Stanojković- Sebić, Marija Gogić, Violeta Mandić, Jakov Nišavić, Maja Petričević</i> ANTIMICROBIAL SUSCEPTIBILITY TESTING OF <i>STREPTOCOCCUS SUIS</i> ISOLATES TO COMMON ANTIBIOTICS USED IN PIG FARMS (Serbia).....</p>	148-156
<p><i>Władysław Migdał, Bartosz Klusek, Łukasz Migdał, Anna Migdał, Maria Walczycka, Ewelina Węsierska, Marzena Zajac, Joanna Tkaczewska, Piotr Kulawik</i> THE CHEMICAL COMPOSITION AND QUALITY OF MEAT POLISH NATIVE CATTLE BREEDS (Poland).....</p>	157-166

<i>Yalçın Bozkurt, Tuncay Aydoğan, Cevedet Gokhan Tuzun, Cihan Dogan</i> A COMPUTERISED SYSTEM FOR PREDICTION OF SLAUGHTERING CHARACTERISTICS OF BEEF CATTLE (Turkey).....	167-176
<i>Maja Petričević, Dušan Živković, Dušica Ostojić Andrić, Dragan Nikšić, Veselin Petričević, Marija Gogić, Violeta Mandić</i> THE EFFECT OF THE FLAX SEEDS NUTRITION OF CATTLE ON PRODUCTION AND SLAUGHTER PROPERTIES (Serbia)....	177-185
<i>Giuseppe Bee, Antonia Katharina Ruckli</i> MORINGA OLEIFERA, AN ALTERNATIVE PROTEIN SOURCE TO SOYA IN PIG PRODUCTION? (Switzerland- Austria).....	186-190
<i>Miloš Lukić, Zdenka Škrbić, Veselin Petričević, Vesna Krnjaja, Zorica Bijelić, Nikola Delić</i> LAYING HENS MANAGEMENT AND NUTRITION FOR MAXIMAL EGG PRODUCTION AT 100 WEEKS OF AGE (Serbia).....	191-202
<i>Tanja Petrović, Snežana Stevanović, Dragana Paunović, Jasmina Rajić, Viktor Nedović</i> INNOVATION IN MEAT PACKAGING (Serbia).....	203-218
<i>Zorica Bijelić, Violeta Mandić, Vesna Krnjaja, Dragana Ružić-Muslić, Aleksandar Simić, Zdenka Škrbić, Dušica Ostojić Andrić</i> NITROGEN STATUS EVALUATION OF GRASS-LEGUME SWARDS UNDER FOUR N FERTILIZATION LEVELS (Serbia)	219-229
<i>Violeta Mandić, Zorica Bijelić, Vesna Krnjaja, Maja Petričević, Aleksandar Stanojković, Marija Gogić, Aleksandar Simić</i> SALINITY STRESS EFFECT ON SEED GERMINATION AND SEEDLING GROWTH OF SOME CROP PLANTS (Serbia).....	230-240

ORALLY PRESENTED PAPERS

<i>Martin Wähner</i> PERSPECTIVES IN PIG FARMING IN GERMANY (Germany)..	241-249
--	---------

- Jovan Bojkovski, Jasna Prodanov-Radulović, Milica Živkov-Baloš, Radiša Prodanović, Sreten Nedić, Sveta Arsić, Ivan Vujanac, Ivan Doborsavljević, Suzana Đedović, Renata Relić, Dušica Ostojić Andrić*
 BODY SCORE CONDITION OF SOWS AND THE THIN SOW SYNDROME AS HEALTH PROBLEMS ON COMMERCIAL FARMS (Serbia)..... 250-258
- Miguel Moreno-Millán, Delia Saleno, Gabriel Anaya, Yamila Pirovano, Florencia Azcona, Olivia Marcuzzi, Antonio Molina, Sebastián Demyda-Peyrás*
 A COMBINATION OF KARIOTYPING AND MOLECULAR METHODS COULD INCREASE THE DETECTION ACCURACY OF CHROMOSOMAL ABNORMALITIES IN HORSES: A CASE REPORT IN PURA RAZA ESPAÑOL HORSE (Spain-Argentina) 259-266
- Maha I. Hamed, Taha A. A. El-Allawy, Esraa A. Hassnein*
 EPIDEMIOLOGICAL AND THERAPEUTICAL STUDIES ON STRONGYLE INFECTION OF DONKEYS IN EGYPT.. 267-284
- Ivan Pavlović, Snežana Ivanović, Milan P. Petrović, Violeta Caro Petrović, Dragan Ružić-Muslić, Nevena Maksimović, Bogdan Cekić*
 SEASON DISTRIBUTION OF GASTROINTESTINAL HELMINTHS OF GOATS KEPT UNDER SEMI-INTENSIVE CONDITIONS IN NORTH WEST SERBIA (Serbia)..... 285-292
- Antonov Valeryi Alekseevich, Grishina Marina Anatolievna, Nikolaev Sergei Ivanovich, Itskovich Aleksandr Yurievich*
 INCLUSION SPORE PROBIOTICS «ENSIMSPORIN» IN RATIONS OF SWINES AND ITS EFFECTS ON PRODUCTIVITY, NON-SPECIFIC AND SPECIAL RESISTANCE OF PREGNANT AND LACTATING SOWS (Russia) 293-304
- Łukasz Migdał, Krzysztof Krzysztoforski, Anna Migdał, Władysław Migdał*
 THE INFLUENCE OF AGE AND BREED OF PIGS ON THE CONTENT OF TOTAL AND SOLUBLE INTRAMUSCULAR COLLAGEN (Poland)..... 305-315
- Ivan Yanchev, Kamelia Kancheva*
 POSIBILITIES FOR UTILIZATION OF CARBON DIOXIDE FROM POULTRY IN GREENHOUSE PLANTED LETTUCE (*LACTUCA SATIVA*) (Bulgaria)..... 316-325

POSTER SECTION I

Marinela Enculescu

EVALUATION OF THE HAEMATOLOGICAL PROFILE AND
SERUM ENZYMES DURING THE TRANSITION PERIOD IN
DAIRY COWS (Romania)..... 326-335

Muamer Pekmez, Admir Dokso, Muhamed Brka

EXTERNAL CHARACTERISTICS OF HOLSTEIN-FRIESIAN
BREED ON AREA OF FEDERATION OF BOSNIA AND
HERZEGOVINA (Bosnia and Herzegovina)..... 336-341

Miloš Marinković, Predrag Perišić, Dušica Ostojić Andrić, Vlada

Pantelić, Nikola Molerović, Nenad Mičić, Vladimir Živković
THE EFFECT OF SIRES ON THE SEMEN QUALITY OF
HOLSTEIN-FRIESIAN BULLS (Serbia)..... 342-351

Ivan Ćosić, Dragana Ružić Muslić, Nevena Maksimović, Bogdan

Cekić, Dragan Nikšić, Nenad Mičić, Miloš Marinković
THE EFFECT OF PARTICULAR PARAGENETIC FACTORS ON
FERTILITY AND MILK PERFORMANCE PROPERTIES OF
COWS (Serbia)..... 352-362

Nenad Mičić, Miloš Marinković, Vlada Pantelić, Dragan Nikšić,

Marina Lazarević, Nikola Molerović, Ivan Ćosić
PRODUCTION PERFORMANCES AND HERD BOOK OF
SIMMENTAL AND HOLSTEIN FRIESIAN CATTLE IN
CENTRAL SERBIA (Serbia)..... 363-372

Madlena Andreeva, Nikola Metodiev, Bogdan Cekić, Rossen

Stefanov
STUDY OF THE EFFECTS OF LOW TEMPERATURES ON THE
MORPHOLOGICAL STATUS OF RAM SPERMATOZOA
(Bulgaria-Serbia)..... 373-381

Tsonka Odjakova, Pavel Todorov, Atanaska Zgurova

MONITORING AND TRENDS FOR DEVELOPMENT OF
SREDNORHODOPSKA SHEEP (Bulgaria)..... 382-392

<i>Rossen Stefanov, Georgi Anev, Madlena Andreeva, Plamen Todorov, Nevena Maksimovic</i> DIFFERENT OESTRUS SYNCHRONIZATION PROTOCOLS IN LACTING NORTH-EAST BULGARIAN MERINO SHEEP IN ANESTRAL PERIOD (Bulgaria-Serbia).....	393-400
<i>Daniela Miteva, Stayka Laleva, Teodora Angelova, Daniela Yordanova, Nikolay Ivanov</i> QUALITY MILK COMPOSITION AND COAGULATION ABILITY IN SHEEP FROM THE BULGARIAN DAIRY SYNTHETIC POPULATION WITH DIFFERENT GENOTYPES (Bulgaria).....	401-410
<i>Jaroslava Bělková, Miroslav Rozkot, Eva Václavková</i> THE PIG PRODUCTION IN THE CZECH REPUBLIC - REQUIREMENTS FOR FARROWING MANAGEMENT IN HIGHLY PROLIFERATIVE SOWS (Czech Republic).....	411-422
<i>Oleksandr Tsereniuk, Oleksandr Akimov, Yuriy Chereuta, Mikola Kosov</i> FEATURES OF SPERM INJECTION INTO GENITAL TRACTS OF SOWS AND GILTS IN ARTIFICIAL INSEMINATION (Ukraine).....	423-430
<i>Nenad Stojiljković, Dragan Radojković, Čedomir Radović, Marija Gogić, Vladimir Živković, Radomir Savić, Aleksandar Stanojković</i> THE VARIABILITY OF ECONOMICALLY IMPORTANT TRAITS MONITORED IN THE PERFORMANCE TEST OF GILTS UNDER THE INFLUENCE OF FARM, YEAR AND SIRE BREED (Serbia).....	431-441
<i>Elena Cibotaru, Grigore Darie, Alisa Pirlog, Doina Plesca</i> THE ROLE OF ANTIOXIDANTS IN BOAR SEMEN PRESERVATION (Moldova).....	442-448
<i>Ksenija Nešić, Marija Pavlović, Vladimir Radosavljević</i> INSECTS – A NEW BRANCH OF ANIMAL HUSBANDRY? (Serbia).....	449-458
<i>Mirna Gavran, Dragan Dokić, Maja Gregić, Vesna Gantner</i> THE ASSOCIATION OF ROE DEER POPULATION WITH WEATHER CONDITIONS IN HUNTING AREA IN EASTERN CROATIA IN PERIOD 2008-2018 (Croatia).....	459-467

Rositsa Shumkova, Ralitsa Balkanska
INFLUENCE OF MICROBIOLOGICAL PRODUCT BAIKAL
EM1 ON THE DEVELOPMENT OF HYPOPHARYNGEAL
GLANDS ON WORKER BEES AND THORACIC GLANDS ON
WORKER BEES AND BEE DRONES (Bulgaria)..... 468-478

Dragan Dokić, Maja Gregić, Mirna Gavran, Vesna Gantner
SIGNIFICANCE OF INVESTMENTS IN AGRICULTURAL
PRODUCTION ON THE EXAMPLE OF THE RURAL
COUNTIES OF THE REPUBLIC OF CROATIA (Croatia)..... 479-487

POSTER SECTION II

*Radojica Djoković, Zoran Ilić, Marko Cincović Vladimir Kurćubić,
Miloš Petrović, Milan P. Petrović, Violeta Caro Petrović*
INSULIN RESISTANCE IN DAIRY COWS (Serbia)..... 488-504

*Goran Vučković, Mirna Gavran, Maja Gregić, Pero Mijić, Ranko
Gantner, Marcela Šperanda, Vesna Gantner*
THE INFLUENCE OF MASTITIS RISK ON RESPONSE TO
HEAT STRESS IN DAIRY SIMMENTAL COWS (Croatia)..... 505-515

*Mahmoud R. Abd Ellah, Ghada I. Soliman, Mohamed A.H. Abd
Elhakeim, Hanan K. Elsayed*
EFFECT OF NATURAL *STRONGYLUS* SPP. INFECTIONS ON
SYNOVIAL FLUID CONSTITUENTS IN DONKEYS (Egypt)... 516-525

*Jasna M. Kureljušić, Aleksandra Tasić, Jadranka Žutić, Branislav
Kureljušić, Ljiljana Spalević, Suzana Vidaković, Dragana
Ljubojević*
SURVIVAL OF SALMONELLA IN PIG CARCASSES IN
SLAUGHTERHOUSES (Serbia)..... 526-532

*Jadranka Žutić, Olivera Valčić, Branislav Kureljušić, Dobrila
Jakić-Dimić, Jasna Kureljušić, Nemanja Jezdimirović, Nemanja
Zdravković*
SEROPREVALENCE TO *MYCOPLASMA HYOPNEUMONIAE* IN
GILTS AND SOWS (Serbia)..... 533-540

*Dragana B. Ljubojević Pelić, Suzana Vidaković, Sandra Jakšić,
Miloš Pelić, Jelena Vranešević, Jasna Kureljušić, Brankica
Kartalović, Milica Živkov Baloš*
THE OCCURRENCE OF RESIDUE OF ANTIBIOTICS AND
SULPHONAMIDES IN DIFFERENT TYPES OF HONEY (Serbia) 541-547

<i>Ivan Mičić, Zoran Rajić, Marija Mičić</i> ECONOMICS OF SUSTAINABLE AGRICULTURAL PRODUCTION AND ANALYSIS MACROINVERTEBRATES OF WATER SOURCES IN SERBIA (Bosnia and Herzegovina- Serbia).....	548-557
--	---------

POSTER SECTION III

<i>Bojan Stojanović, Goran Grubić, Nenad Đorđević, Aleksa Božičković, Aleksandar Simić, Vesna Davidović, Aleksandra Ivetić</i> EFFICIENCY OF PROTEIN UTILIZATION BY GRAZING RUMINANTS AND POSSIBILITY FOR IMPROVEMENT (Serbia).....	558-568
<i>Dragana Ružić-Muslić, Milan P. Petrović, Zorica Bijelić, Violeta Caro Petrović, Nevena Maksimović, Bogdan Cekić, Ivan Ćosić</i> ALTERNATIVE SOURCES OF PROTEIN IN LAMB DIET (Serbia).....	569-579
<i>Vesna Krnjaja, Slavica Stanković, Ana Obradović, Tanja Petrović, Violeta Mandić, Zorica Bijelić, Marko Jauković</i> THE EFFECT OF CLIMATE CONDITIONS ON AFLATOXIN CONTAMINATION OF CEREAL GRAINS AND FEEDS (Serbia)	580-591
<i>Marija Pavlović, Aleksandra Tasić, Ksenija Nešić, Snežana Ivanović</i> SACCHAROMYCES CEREVISIAE IN FEED FOR RUMINANTS (Serbia).....	592-600
<i>Daniela Yordanova, Georgi Kalaydzhiev, Stayka Laleva, Vladimir Karabashev, Teodora Angelova, Evgeni Videv</i> IN VITRO ANALYSIS OF GAS PRODUCTION OF ROUGH AND JUICY FEEDS WITH FRESH AND LYOPHILIZED RUMEN FLUID (Bulgaria).....	601-609
<i>Marzena Zajęc, Joanna Tkaczewska, Piotr Kulawik, Paulina Guzik, Bronisław Borys, Władysław Migdał</i> COMPARING THE CHEMICAL COMPOSITION OF THE LAMB MEAT OF VARIOUS NATIVE BREEDS (Poland).....	610-617
<i>Vladimir Dosković, Snežana Bogosavljević-Bošković, Lidija Perić, Zdenka Škrbić, Simeon Rakonjac, Veselin Petričević</i> MEAT QUALITY OF BROILERS IN AN EXTENDED FATTENING PERIOD (Serbia).....	618-624

<i>Zdenka Škrbić, Miloš Lukić, Veselin Petričević, Snežana Bogosavljević-Bošković, Simeon Rakonjac, Vladimir Dosković, Nataša Tolimir</i> EGG QUALITY OF COMMERCIAL LAYER HYBRID KEPT IN DIFFERENT HOUSING SYSTEMS (Serbia).....	625-632
<i>Nataša Tolimir, Marijana Maslovarić, Zdenka Škrbić, Borislav Rajković, Robert Radišić, Miloš Lukić</i> PREFERENCES OF CONSUMERS/CUSTOMERS FROM SERBIA TOWARD ORGANIC EGGS (Serbia).....	633-642
<i>Teodora Popova, Jivko Nakev</i> FATTY ACID COMPOSITION OF MUSCLE AND BACKFAT IN PIG BREEDS AND CROSSBREEDS (Bulgaria).....	643-652
<i>Vladimir Živković, Łukasz Migdał, Władysław Migdał, Čedomir Radović, Marija Gogić, Slavča Hristov, Nenad Stojiljković</i> INFLUENCE OF SIRE BREED ON MEATINESS OF PIG CARCASS (Serbia-Poland).....	653-658
<i>Milica Živkov Baloš, Sandra Jakšić, Nenad Popov, Suzana Vidaković, Dragana Ljubojević Pelić, Jasna Prodanov Radulović, Željko Mihaljev</i> ELECTRICAL CONDUCTIVITY OF DIFFERENT TYPES OF THE SERBIAN HONEY (Serbia).....	659-665
<i>Aleksandra M. Tasić, Tijana D. Mitrović, Marija Pavlović, Jasna Kureljušić</i> A COMPARISON OF TWO METHODS FOR DETERMINATION OF HMF IN HONEY: HPLC METHOD VERSUS SPECTROPHOTOMETRIC METHOD (Serbia).....	666-673
<i>Jordan Marković, Tanja Vasić, Dragan Terzić, Dragoslav Đokić, Jasmina Milenković, Mladen Prijović, Đorđe Lazarević</i> CARBOHYDRATE AND PROTEIN FRACTIONS, AND FERMENTATION CHARACTERISTICS OF COMMON VETCH – OAT SILAGES (Serbia).....	674-683
<i>Vesna Dragičević, Milena Simić, Branka Kresović, Milan Brankov</i> HOW CROPPING SYSTEMS AFFECT PHOTOSYNTHETIC PIGMENTS AND MAIZE GRAIN YIELD (Serbia).....	684-694

<i>Milena Milenković, Milena Simić, Milan Brankov, Vesna Perić, Miodrag Tolimir, Vesna Dragičević</i> COMPETITIVE ABILITY OF SOYBEAN AND PROSO MILLET IN DIFFERENT INTERCROP COMBINATIONS (Serbia).....	695-703
<i>Tanja Vasić, Snežana Andjelković, Jordan Marković, Sanja Živković, Đorđe Lazarević, Mladen Prijović</i> MYCOPOPULATION OF DIFFERENT FABA BEAN GENOTYPES IN SERBIA (Serbia).....	704-711

EGG QUALITY OF COMMERCIAL LAYER HYBRID KEPT IN DIFFERENT HOUSING SYSTEMS

Zdenka Škrbić¹, Miloš Lukić¹, Veselin Petričević¹, Snežana Bogosavljević-Bošković², Simeon Rakonjac², Vladimir Dasković², Nataša Tolimir³

¹Institute for Animal Husbandry, Autoput 16, 11080, Belgrade-Zemun, Republic of Serbia

²Faculty of Agronomy, University of Kragujevac, Cara Dušana 34, 32000 Čačak, Republic of Serbia

³Institute of Science Application in Agriculture, Bulevar Despota Stefana 68b, 11000, Belgrade, Republic of Serbia

Corresponding author: Zdenka Škrbić, zskrbic@istocar.bg.ac.rs

Original scientific paper

Abstract: Egg quality parameters of hybrid layers were analyzed by comparative testing of conventional cage and alternative housing systems: floor pen and mobile cages on the pasture. The analysis of the quality of eggs from the conventional cage and floor pen housing system was carried out at the age of 42 to 44 weeks, and from the conventional cage and the mobile cage on pasture, in the period from 51 to 53 weeks of age. Each trial was organized in 3 repetitions in the 3 seven-day periods and 30 eggs per repetition, i.e. 90 per housing system were analyzed. The quality of 360 eggs in total was analyzed. The initial egg quality was studied based on the properties of the external and internal quality of eggs and eggshell quality. In the conditions of the same genetic of laying hens, the parameters of the egg quality that were significantly affected by the housing system are the egg weight, certain properties of eggshell quality (cleanliness, colour and weight), the ratio of the albumen and yolk, and the yolk colour. Significantly higher egg weight and a lower albumen to egg yolk ratio were recorded in eggs from alternative housing systems compared to the conventional cage system. Eggs from the floor system had a darker and dirtier egg shell compared to the conventional cage system. The eggshell weight and the yolk colour were significantly higher in eggs from mobile cages.

Key words: layers, egg quality, housing systems

Introduction

Changes in the housing system for laying hens is implied by the necessity for improvement of the conditions for the welfare of layers, and the expected

legislation on permitted housing systems in order to harmonize with the adopted principles contained in the EU Regulation (*Council Directive 1999/74/EC*). There is a great deal of consumer pressure imposing more natural production conditions as an imperative for a better product. Therefore, the topic of the effect of the housing system for layers is inspirational for researchers, not only from the aspect of hens welfare, but also from the aspect of the quality of eggs, productivity, and economy.

The effect of the housing system is based on the differences in the available space for the hens' movement and level of equipment of that space, related to the manifestation of common patterns of behaviour and welfare of hens, ambient conditions, nutrition, exposure to stress factors.

Previous studies of the effects of the housing system on the egg quality are without a clear answer to the question of the superiority of a particular system in terms of the egg quality. The reason is the inability to fully reconcile the factors important for the quality of eggs (genetic of laying hens, hen age, oviposition time, nutrition), as well as certain specificities of the investigated housing systems. The observed differences in the egg quality under the influence of the housing system relate to the egg weight, the eggshell cleanliness, the yolk colour, Haugh units (*Pavlovski et al., 2004; Pišteková et al., 2006; Rossi, 2007; Sekeroglu et al., 2008; Đukić-Stojčić et al., 2009; Yilmaz Dikmen et al., 2016*). The advantage of the cage in relation to alternative housing systems in terms of the egg weight is stated by *Minelli et al. (2007)*, in terms of the albumen quality and eggshell quality, *Englmaier et al. (2014)*. *Svobodova et al. (2014)* indicate significantly higher egg weight and better albumen quality in floor compared to the cage system. By contrast, *Rizzi et al. (2006)* have not determined the differences in the individual properties of egg quality from different housing systems. Similarly, *Sekeroglu et al. (2010)* report that there are no major differences in egg quality between the floor, free range and cage systems.

Based on the above mentioned, the aim of the present study was to provide a contribution to the results of the research in this field by comparative testing of the conventional cage system and floor pens, i.e. conventional cage system and mobile cages on the pasture, from the aspect of the egg quality.

Material and Methods

The quality of the eggs from the conventional cage system was compared with the quality of the eggs from the floor pen, i.e. mobile cages on the pasture. In all three systems Tetra SL layers were used. The quality of eggs from the conventional cage and floor system of housing was tested at the age of layers of 42

to 44 weeks, and the effect of the housing in mobile cages, due to the vegetation and the adjustment of the length of the light day, was examined later, at the age of the layers of 51 to 53 weeks. Each trial was organized in 3 repetitions (3 seven-day periods) and 30 eggs per repetition were analyzed, respectively 90 per housing system. The quality of total of 360 eggs has been analyzed. The cage system of housing was in three-tier conventional cages with 4 layers per cage. The floor system was on a deep litter, in a pen area of 8m² and a stocking density of 4 layers/m². The facilities in both systems were without windows and with artificial lighting of 15 hours a day. The housing in mobile cages was on a natural pasture. The surface of the cage was 4.5 m² and the stocking density 3 layers/m². Layers were exposed to natural light for 15 hours. Nutrition of layers was consistent with their requirements at the given stage of the production cycle (*Management Guide Babolna Tetra Hybrids*) and identical for all studied housing systems. In addition, the availability of pasture for layers in mobile cages was constant. Food and water were available ad libitum. The eggs were sampled in the morning and the initial quality of the eggs was examined based on the exterior and interior egg quality properties (*Pavlovski et al., 1997*) as well as the eggshell quality (*Pavlovski and Vitorović, 1996*).

Statistical data processing was done by the One-way ANOVA variance using the statistical software package STATISTICA, version 8, StatSoft, Inc. (www.statsoft.com).

Results and Discussion

The egg quality from the conventional cage and floor pen systems was statistically significantly different in terms of the egg weight, the eggshell colour, the eggshell cleanness, and the albumen yolk ratio (Table 1).

Eggs from the floor pen housing system in relation to the conventional cage system had significantly higher weight. The higher egg weight in the floor system compared to the cage system was determined by *Svobodova et al. (2014)*, *Pištekova et al. (2006)*. Contrary to these results is study by *Đukić-Stojčić et al. (2009)* in which they conclude that the eggs from the cage system have the greatest weight in relation to the floor system with the range and the free range system. It is difficult to discuss which factors in the housing system have caused the differences in the egg weight. In conditions of the same genetic basis and age of hens layers, and nutrition, the differences between the cage and the floor system of housing are in the environment and technological processes, and consequently, physiological stress (*Holt et al., 2011*). The lower albumen/yolk ratio in the floor pen compared to the cage system indicates a higher proportion of egg albumen in the structure of

eggs in the floor system. Reduction of the proportion of yolk, generally in the last decades, *Flock (2019)* attributes to the selection in order to effectively convert food into egg weight. Expectedly, the eggs from the floor pen system have a dirtier shell, although there are also contrary findings (*Ahamed et al., 2014*). The eggshell colour is a genetically conditioned trait, but it differed in the examined systems of housing. However, it should be noted that the established values for the eggshell colour in both examined systems were within the standard for given layer hybrid. The differences in the eggshell colour under the influence of the housing system were determined by *Pavlovski et al. (2004)* and *Sekeroglu et al. (2010)*. Contrary to our results, *Sekeroglu et al. (2010)* have found that the eggs from the floor system have the brightest shell, while *Pavlovski et al. (2004)* have found that eggs from the cage system have a darker shell compared to eggs from the free range system.

Table 1. Quality of eggs from conventional cage and floor pen systems at the age of layers of 42-44 weeks

Parameter	Conventional cages		Floor pen		P
	Mean	SD	Mean	SD	
Egg weight, g	61.99	5.94	64.82	4.44	0.0082
Egg shape index	77.88	2.27	78.00	1.95	0.777
Shell colour, points	3.46	0.58	3.82	0.48	0.0010
Shell cleanness, points	4.64	0.78	3.94	1.20	0.0008
Shell deformation, mm	0.215	0.057	0.201	0.023	0.361
Shell weight, g	8.51	0.96	8.66	0.98	0.452
Shell thickness, mm	0.355	0.032	0.351	0.023	0.546
Shell breaking force, kg	2.74	0.66	2.76	0.35	0.886
Albumen height, mm	8.126	1.09	8.35	1.49	0.393
Albumen/Yolk ratio	2.21	0.2	2.03	0.16	<0.0001
Yolk colour, Roche	12.64	1.06	12.56	1.55	0.764
Haugh Units	88.98	6.49	90.10	5.28	0.346

The average values of egg quality parameters from the conventional cage and the system in mobile cages on the pasture are shown in Table 2.

Significant differences in egg quality parameters are determined for the egg weight, the eggshell weight, the albumen/yolk ratio and the yolk colour. Layers housed in mobile cages on the pasture laid eggs of an average weight of 66.97 g, or 5.6% heavier than eggs from conventional cages (63.22 g). The shell weight of eggs from mobile cages was significantly higher (9.45 vs 8.73 g), which contributed to an increase in the share of egg shell in the structure of these eggs by 0.3% compared to conventional cage eggs. The ratio of albumen/yolk in eggs from mobile cages was lower compared to conventional cages, similar to the previous

comparison of floor and cage systems. The yolk colour was more intense with the access to pasture in mobile cages.

Table 2. Quality of eggs from conventional cage system and mobile cages on the range system at the age of layers of 51-53 weeks

Parameter	Conventional cages		Mobile cages on the pasture		p
	Mean	SD	Mean	SD	
Egg weight, g	63.22	4.38	66.97	5.31	0.0194
Egg shape index	76.20	2.02	77.35	2.58	0.125
Shell colour, points	3.65	0.59	3.70	0.57	0.786
Shell cleanness, points	4.90	0.31	4.70	0.73	0.267
Shell deformation, mm	0.209	0.032	0.221	0.041	0.333
Shell weight, g	8.73	0.76	9.45	0.77	0.0053
Shell thickness, mm	0.352	0.022	0.337	0.034	0.105
Shell breaking force, kg	2.37	0.53	2.40	0.41	0.843
Albumen height, mm	7.455	1.234	8.205	1.504	0.0929
Albumen/Yolk ratio	2.11	0.23	2.02	0.22	<0.0001
Yolk colour, Roche	11.77	0.63	13.25	0.64	<0.0001
Haugh Units	84.60	7.02	87.20	9.66	0.336

In agreement with the obtained results suggesting that free range housing leads to an increase in the weight of eggs, are results presented by *Rossi et al. (2007)*. *Holt et al. (2011)* present similar results and bring them in conjunction with different ambient conditions in the conventional cage and free range system, primarily temperature. *Minelli et al. (2007)* emphasize the importance of nutrition and conclude that the housing system itself has no decisive importance on the weight of the eggs. In this regard, the results of our research can be discussed, as the layers in mobile cages had available pasture area within the cages, as an additional source of nutrition and more favourable environmental conditions compared to the conventional cage system. The lower average weight of eggs in the free range system *Krawczyk (2009)* explains the result of the conditions of nutrition, when the protein requirements of layers on the range are not met. A significantly higher share of egg shell in the structure of eggs from the free range system, stated by *Lewko and Gornowicz (2011)*, is confirmed by our results. One of the parameters of the quality of eggs from free range that meets consumer expectations is the yolk colour (*Svobodova et al., 2014; Sokolowicz et al., 2018*). Stronger pigmentation of egg yolk from the mobile cages is the result of additional intake of natural pigments from pasture, in addition to the equal content of synthetic pigments in the feed mixture of both groups of layers.

Conclusion

In conditions of the same genetic basis and age of the layers, the parameters of the eggs quality that are significantly affected by the housing system are the egg weight, certain properties of eggshell quality (cleanliness, colour and weight), the albumen/yolk ratio and the yolk colour. The housing system in the mobile cages on the pasture, as well as the floor pen system, showed an advantage over conventional cages for most of the mentioned parameters except for the cleanliness of the shell. From the aspect of creating the conditions for more intensive development of alternative table egg production systems, the presented results indicate the possibility of improving certain quality properties, important for producers, but also those that satisfy consumer preferences.

Kvalitet jaja komercijalnih hibridnih nosilja u različitim sistemima gajenja

Zdenka Škrbić, Miloš Lukić, Veselin Petričević, Snežana Bogosavljević-Bošković, Simeon Rakonjac, Vladimir Dasković, Nataša Tolimir

Rezime

Parametri kvaliteta jaja hibridnih nosilja su analizirani uporednim ispitivanjem konvencionalnog kaveznog i alternativnih sistema gajenja: podnog (u boksevima) i u mobilnim kavezima na pašnjaku. Analiza kvaliteta jaja iz konvencionalnog kaveznog i podnog sistema gajenja obavljena je u uzrastu nosilja 42 do 44 nedelje a iz konvencionalnog kaveznog i mobilnih kaveza na pašnjaku, u periodu 51 do 53 nedelje starosti nosilja. Svaki ogled je organizovan u 3 ponavljanja u 3 sedmodnevna perioda i analizirano je 30 jaja po ponavljanju, odnosno 90 po sistemu gajenja. Ukupno je analiziran kvalitet 360 jaja. Ispitivan je inicijalni kvalitet jaja baziran na osobinama spoljašnjeg i unutrašnjeg kvaliteta jaja i kvaliteta ljuske. U uslovima iste genetske osnove i uzrasta nosilja, parametri kvaliteta jaja koji su bili pod značajnim uticajem sistema gajenja su težina jajeta, pojedine osobine kvaliteta ljuske (čistoća, boja i težina), odnos belanca i žumanca, kao i boja žumanca. Signifikantno veću težinu jaja i manji odnos belanca i žumanca su imala jaja iz alternativnih sistema gajenja u odnosu na kavezni sistem. Jaja iz podnog sistema su imala tamniju i prljaviju ljusku u odnosu na

konvencionalni kavezni sistem. Težina ljuske i boja žumanca su bili signifikantno veći kod jaja iz mobilnih kaveza na pašnjaku.

Ključne reči: nosilje, kvalitet jaja, sistem gajenja

Acknowledgment

This research is part of the Project TR-31033 financial supported by the Ministry of Education and Science of the Republic Serbia.

References

- AHAMMED M., CHAE B.J., LOHAKARE J., KEOHAVONG B., LEE M.H., LEE S.J., KIM D.M., LEE J.Y., OHH S.J. (2014): Comparison of Aviary, Barn and Conventional Cage Raising of Chickens on Laying Performance and Egg Quality. *Asian Australasian Journal of Animal Science*, 27, 8, 1196-1203.
- ĐUKIĆ STOJČIĆ M., PERIĆ L., BJEDOV S., MILOŠEVIĆ N. (2009): The quality of table eggs produced in different housing systems. *Biotechnology in Animal Husbandry*, 25, 5-6, Book 2, 1103-1108.
- ENGLMAIEROVA M., TUMOVA E., CHARVATOVA V., SKRIVAN M. (2014): Effects of laying hens housing system on laying performance, egg quality characteristics, and egg microbial contamination. *Czech Journal of Animal Science*, 59, 345–352.
- European Communities (1999): Directive 1999/74/EC. Laying down minimum standards for the protection of laying hens. (O.J. L 203, 03.08.1999) European Publications Office, Brussels, Belgium.
- FLOCK K. D. (2019): Internal egg quality: trends and opportunities to respond to changing demand. *Lohmann Information*, 53,1, 9-15.
- HOLT P.S., DAVIES R.H., DEWULF J., GAST R.K., HUWE J.K., JONES D.R., WALTMAN D., WILLIAMS K.R. (2011): The impact of different housing systems on egg safety and quality. *Poultry Science*, 90, 251-262.
- KRAWCZYK J. (2009): Quality of eggs from Polish native Greenleg Partridge chicken-hens maintained in organic vs. backyard production systems. *Animal Science Papers and Reports* 27, 3, 227-235.
- LEWKO L., GORNOWICZ E. (2011): Effect of housing system on egg quality in laying hens. *Annals of Animal Science*, 11, 4, 607-616.

Management guide Babolna Tetra Hybrids

http://www.babolnatetra.com/uploads/TETRA_SL_LL_Commercial_Management_Guide_2017-01-05_ENG_PRESS5mm.pdf

MINELLI G., SIRRI E., FOLEGATTI A., MELUZZI A., FRANCHINI A. (2007): Egg quality traits of laying hens reared in organic and conventional systems. *Italian Journal of Animal Science* 6 (Suppl. 1), 728-730.

PAVLOVSKI Z., CMILJANIĆ R., HOPIĆ S., VRAČAR S. (1997): Promene u kvalitetu jaja u zavisnosti od starosti kokoši i sprata baterije. *Biotehnologija u stočarstvu*, 13, 1-2, 43-50.

PAVLOVSKI Z., ŠKRBIĆ Z., LUKIĆ M. (2004): Effects of housing system on egg quality traits in small layer flocks. XXII World's Poultry Congress, Istanbul, Turkey, 8-13 june, Book of Abstracts, 357(full text electrically in Participant List and Fulltext CD).

PAVLOVSKI Z., VITOROVIĆ D. (1996): Direktnan metod za odredjivanje čvrstoće ljuske jaja. *Nauka u živinarstvu*, 3-4, 171-175.

PIŠTEKOVA M., HOVORKA M., VEČEREK V., STRAKOVA E., SUCHY P. (2006): The quality comparison of eggs laid by laying hens kept in battery cages and in a deep litter system. *Czech Journal of Animal Science* 51, 7, 318-325.

RIZZI L., SIMIOLI M., MARTELLI G., PAGANELLI R., SARDI L. (2006): Effects of organic farming on egg quality and welfare of laying hens. XII European Poultry Conference, Verona, 10-14 September, 10094.

ROSSI M. (2007): Influence of the laying hen housing systems on table egg characteristics. Proceedings of the XVIII European Symposium on the Quality of Poultry Meat and XII European Symposium on the Quality of Eggs and Egg Products. Prague, September 2-5, 49-51.

SEKEROGLU A., SARICA M., DEMIR E., ULUTAS Z., TILKI M., SAATCI M. (2008): The effects of housing system and storage length on the quality of eggs produced by two lines of laying hens. *Archiv fur Geflügelkunde* 72, 106-109.

SEKEROGLU A., SARICA M., DEMIR E., ULUTAS Z., TILKI M., SAATCI M., OMED H. (2010): Effects of different housing systems on some performance traits and egg qualities of laying hens. *Journal of Animal and Veterinary Advances*, 9, 12, 1739-1744.

SOKOŁOWICZ Z., KRAWCZYK J., DYKIEL M. (2018): Effect of alternative housing system and hen genotype on egg quality characteristics. *Emirates Journal of Food and Agriculture*, 30, 8, 695-703.

SVOBODOVA J., TUMOVA E., ENGLMAIEROVA M. (2014): The effect of housing system on egg quality of Lohmann white and Czech. *Acta fytotechn. zootechn.*, 17, 2, 44-46.

YILMAZ DIKMEN B., IPEK A., SAHAN U., PETEK M., SOZCU A. (2016): Egg production and welfare of laying hens kept in different housing systems (conventional, enriched cage, and free range). *Poultry Science*, 95,1564-1572.

**CIP- Каталогизација у публикацији
Народна библиотека Србије**

636/638(082)(0.034.2)

631/635(082)(0.034.2)

**INTERNATIONAL Symposium Modern Trends in Livestock
Production (12 ; 2019 ; Beograd)**

Proceedings [Elektronski izvor] / 12th International Symposium Modern Trends in Livestock Production, 9 -11 October 2019, Belgrade, Serbia ; [organizer] Institute for Animal Husbandry ; [editor Zdenka Škrbić]. - Belgrade : Institute for Animal Husbandry, 2019 (Belgrade : Institute for Animal Husbandry). - 1 USB fleš memorija ; 1 x 1 x 3 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. - Tiraž 150. - Bibliografija uz svaki rad.

ISBN 978-86-82431-76-3

а) Сточарство -- Зборници б) Пољопривреда -- Зборници

COBISS.SR-ID 279920908



12th INTERNATIONAL SYMPOSIUM
MODERN TRENDS IN LIVESTOCK PRODUCTION

9 - 11 October 2019 - Belgrade, Serbia

P R O C E E D I N G S

INSTITUTE FOR ANIMAL HUSBANDRY

Autoput 16, P. Box 23, 11080, Belgrade - Zemun, Serbia

www.istocar.bg.ac.rs

ISBN 978-86-82431-76-3

