

12th
INTERNATIONAL
SYMPOSIUM | MODERN
TRENDS
IN LIVESTOCK
PRODUCTION



P R O C E E D I N G S

9 -11 October 2019, Belgrade, Serbia

Institute for Animal Husbandry
Belgrade - Zemun, SERBIA

12th
INTERNATIONAL
SYMPOSIUM | MODERN
TRENDS
IN LIVESTOCK
PRODUCTION



P R O C E E D I N G S

9 -11 October 2019, Belgrade, Serbia

Proceedings of the 12th International Symposium
Modern Trends in Livestock Production
October 9-11, 2019

EDITORIAL COUNCIL

Prof. Dr. Giacomo Biagi, Faculty of Veterinary Medicine, University of Bologna, Italy

Prof. Dr. Martin Wöhner, Faculty of Applied Sciences, Bernburg, Germany

Dr. Milan P. Petrović, Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Dragana Ružić-Muslić, Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. Radica Đedović, Faculty of Agriculture, University of Belgrade, Serbia

Prof. Dr. Lidija Perić, Faculty of Agriculture, University of Novi Sad, Serbia

Dr Maya Ignatova, Institute of Animal Science, Kostinbrod, Bulgaria

Prof. Dr. Kazutaka Umetsu, Obihiro University of Agriculture and Veterinary Medicine, Obihiro, Japan

Prof. Dr. Dragan Glamočić, Faculty of Agriculture, University of Novi Sad, Serbia

Dr. Marina Selionovna, Russian Scientific Research Institute of Sheep and Goat Breeding, Stavropol, Russia

Prof. Dr. Vigilius Jukna, Institute of Energy and Biotechnology Engineering, Aleksandras Stulginskis University, Kaunas, Lithuania

Dr. Vesna Krnjača, Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Elena Kistanova, Institute of Biology and Immunology of Reproduction „Kiril Bratanov“, Sofia, Bulgaria

Prof. Dr. Pero Mijić, Faculty of Agriculture, University of Osijek, Croatia

Prof. Dr. Marjeta Čandek-Potokar, Agricultural Institute of Slovenia, Ljubljana, Slovenia

Prof. Dr. Peter Dovč, Department of Animal Science, Biotechnical Faculty, University of Ljubljana, Slovenia

Dr. Miloš Lukić, Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. Władysław Migdał, University of Agriculture, Krakow, Poland

Dr. Ivan Bahelka, National Agricultural and Food Centre – Research Institute for Animal Production, Lužianky, Slovakia

Dr. Vlada Pantelić, Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. Sandra Edwards, School of Agriculture, Food and Rural Development, University of Newcastle, United Kingdom

Prof. Dr. Stelios Deligeorgis, Greece;

Prof. Dr. Hasan Ulker, Turkey

Dr. Catalin Dragomir, National Research and Development Institute for Animal Biology and Nutrition (IBNA Balotesti), Balotesti, Ilfov, Romania

Publisher

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Editor-in-Chief

Ćedomir Radović, PhD, Research associate

Director of the Institute for Animal Husbandry, Belgrade-Zemun

EDITORIAL BOARD

Editor

Zdenka Škrbić, PhD, Principal Research Fellow

Institute for Animal Husbandry, Belgrade-Zemun

Section Editors

Animal Science

Dušica Ostojić-Andrić, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Violeta Caro Petrović, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Nevena Maksimović, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Veselin Petričević, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dragan Nikšić, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Feed Science

Zorica Bijelić, PhD, Senior Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Violeta Mandić, PhD, Senior Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Technology and quality of animal products

Prof. Marjeta Čandek-Potokar, PhD

Agricultural Institute of Slovenia, Ljubljana, Slovenia

Nikola Stanišić, PhD, Research Associate

Innovative Center AVEBE U.A., Groningen, Netherlands

Maja Petričević, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Food safety, Veterinary Medicine Science

Aleksandar Stanojković, PhD, Research Associate

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Language editor

Olga Devečerski, grad.prof

Address of the Editor's office

Institute for Animal Husbandry, Autoput 16, P. Box 23, 11080 Belgrade-Zemun, Republic of Serbia Tel. 381 11

2691 611, 2670 121; Fax 381 11 2670 164;

e-mail: biotechnology.izs@gmail.com; www.istocar.bg.ac.rs

Circulation 150 copies.

The publication of this Proceedings is sponsored by the Ministry of Education and Science of the Republic of Serbia.

The Proceedings is printed by the Institute for Animal Husbandry, Belgrade, 2019

ISBN 978-86-82431-76-3

PATRON

Ministry of Education, Science and Technological
Development of the Republic of Serbia

ORGANIZER

Institute for Animal Husbandry
Autoput 16, P. Box. 23,
11080, Belgrade-Zemun, Serbia
Tel: +381 11 2691 611; +381 11 2670 121;
+381 11 2670 541;
Fax: + 381 11 2670 164;

biotechnology.izs@gmail.com
www.istocar.bg.ac.rs



INTERNATIONAL SCIENTIFIC COMMITTEE

CHAIRMAN

Prof. Dr. Giacomo Biagi,
Department of Veterinary Medical Sciences, University of Bologna, Italy

SECRETARY

Dr. Milan P. Petrović,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

MEMBERS

Dr. Čedomir Radović,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Dr. Milan M. Petrović,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Prof. Dr. Martin Wöhner,
Anhalt. University of Applied Sciences, Bernburg, Germany
Dr. Vesna S. Krnjaja,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Prof. Dr. Marina I. Selionova,
FSBSI-All-Russian Scientific Research Institute of Sheep and Goat Breeding,
Stavropol, Russia
Prof. Dr. Marjeta Čandek-Potokar,
Agricultural Institute of Slovenia, Slovenia
Prof. Dr. Elena Kistanova,
Institute of Biology and Immunology of Reproduction „Kiril Bratanov“,
Sofia, Bulgaria
Dr. Dragana Ružić-Muslić,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Dr. Snežana Mladenović Drinić,
Maize Research Institute „Zemun Polje“, Zemun Polje, Serbia
Dr. Zdenka Škrbić,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
Prof. Dr. Radica Đedović,
University of Belgrade, Faculty of Agriculture, Serbia
Prof. Dr. Lidija Perić,
University of Novi Sad, Faculty of Agriculture , Serbia
Prof. Dr. Wladyslaw Migdal,
Department of Animal Product Technology,
University of Agriculture in Kraków, Poland
Prof. Dr. Danijela Kirovski,
University of Belgrade, Faculty of Veterinary Medicine, Serbia





- Dr. Miloš Lukić,**
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
- Dr. Vlada Pantelić,**
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
- Prof. Dr. Ranelin Dmitry Alexandrovich,**
Faculty of Biotechnology and Veterinary Medicine,
Volgograd State Agricultural University, Russia
- Assoc. Prof. Itskovich Aleksandr Yuryevich,**
Faculty of Biotechnology and Veterinary Medicine,
Volgograd State Agricultural University, Russia
- Prof. Dr. Dragan Radojković,**
University of Belgrade, Faculty of Agriculture, Serbia
- Prof. Dr. Milun Petrović,**
University of Kragujevac, Faculty of Agronomy, Serbia
- Prof. Dr. Dragan Glamočić,**
University of Novi Sad, Faculty of Agriculture, Serbia
- Prof. Dr. Snežana Trivunović,**
University of Novi Sad, Faculty of Agriculture, Serbia
- Prof. Dr. Predrag Perišić,**
University of Belgrade, Faculty of Agriculture, Serbia
- Prof. Dr. Zoran Ilić,**
University of Pristina, Faculty of Agricultural Sciences, Lešak, Serbia
- Prof. Dr. Maya Ignatova,**
Institute of Animal Science, Kostinbrod, Bulgaria
- Dr. Ivan Pavlović,**
Scientific Veterinary Institute of Serbia, Serbia
- Dr. Snežana Ivanović,**
Scientific Veterinary Institute of Serbia, Serbia
- Prof. Dr. Vigilius Jukna,**
Institute of Energy and Biotechnology Engineering,
Aleksandras Stulginskis University, Lithuania
- Dr. Giuseppe Bee,**
Agroscope Posieux, Posieux, Switzerland
- Dr. Zorica Bijelić,**
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
- Dr. Violeta Mandić,**
Institute for Animal Husbandry, Belgrade-Zemun, Serbia
- Prof. Dr. Yusup A. Yuldashev,**
Russian State Agrarian University, Moscow, Timiryazev Agricultural Academy,
Faculty of Animal Science and Biology, Russia



- Prof. Dr. Pero Mijić,**
Josip Juraj Strossmayer University of Osijek,
Faculty of Agrobiotechnical Sciences, Osijek, Croatia
- Prof. Dr. Zoran Luković,**
University of Zagreb, Faculty of Agriculture,
Department of Animal Science and Technology, Croatia
- Prof. Dr. Ivan Radović,**
University of Novi Sad, Faculty of Agriculture, Serbia
- Prof. Dr. Aleksandar Simić,**
University of Belgrade, Faculty of Agriculture, Serbia
- Prof. Dr. Nikola Pacinovski,**
Ss Cyril and Methodius University in Skopje,
Institute of Animal Science, North Macedonia
- Prof. Dr. Yessenbay Islamov,**
Kazakh National Agrarian University, Kazakhstan
- Prof. Dr. Yalçın Bozkurt,**
Isparta University of Applied Science,
Department of Animal Science, Isparta, Turkey
- Prof. Dr. Slavča Hristov,**
University of Belgrade, Faculty of Agriculture, Serbia
- Prof. Dr. Ricmar P. Aquino,**
University President, Isabela State University, Philippines
- Prof. Dr. Rosa Nieto,**
Departament of Physiology and Biochemistry of Animal Nutrition Estacion
Experimental del Zaidín, CSIC Armilla, Granada, Spain
- Dr. Juan M. García Casco,**
Departamento Mejora Genética Animal, INIA, Madrid, Spain
- Dr. Violeta Andelković,**
Maize Research Institute „Zemun Polje“, Zemun Polje, Serbia
- Dr. Slavica Stanković,**
Maize Research Institute „Zemun Polje“, Zemun Polje, Serbia
- Prof. Dr. Rui Miguel Carracha Charneca,**
Universidade de Évora, Escola de Ciências e Tecnologia,
Instituto de Ciências Agrárias e Ambientais Mediterrânicas (ICAAM),
Évora, Portugal
- Dr. Ivan Bahelka,**
NPPC - Research Institute for Animal Production Nitra, Slovakia
- Dr. Jean-Louis Peyraud,**
INRA, UMR PEGASE, France

ORGANIZING COMMITTEE

CHAIRMAN

Dr. Milan P. Petrović,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

SECRETARY

Dr. Veselin Petričević,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

MEMBERS

Dr. Dušica Ostojić Andrić,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Violeta Caro Petrović,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Prof. Dr. Vladan Bogdanović,

University of Belgrade, Faculty of Agriculture, Serbia

Prof. Dr. Nenad Đorđević,

University of Belgrade, Faculty of Agriculture, Serbia

Assoc. Prof. Tanja Petrović,

University of Belgrade, Faculty of Agriculture, Serbia

Dr. Aleksandar Stanojković,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Nevena Maksimović,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Dragan Nikšić,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Maja Petričević,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Dr. Nikola Delić,

Institute for Animal Husbandry, Belgrade-Zemun, Serbia



SYMPOSIUM SECRETARIAT

CHAIRMAN

Dr. Veselin Petričević,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

MEMBERS

Slavko Maletić, grad. econ.
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Olga Devečerski, grad. prof.
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Arch Stanislav Marinkov,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Marina Lazarević, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Nenad Mićić, Msc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Bogdan Cekić, Msc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Miloš Marinković, Msc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Marija Gogić, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Vladimir Živković, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Nenad Stojiljković, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Nikola Molerović, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia

Ivan Čosić, Bsc,
Institute for Animal Husbandry, Belgrade-Zemun, Serbia



Address:

Institute for Animal Husbandry,
Autoput 16, P. Box 23,
11080, Belgrade-Zemun, Serbia

Tel:

+381 11 2691 611

+381 11 2670 121

+381 11 2670 541

Fax:

+381 11 2670 164

E-mail: biotechnology.izs@gmail.com
www.istocar.bg.ac.rs



CONTENTS

INVITED PAPERS

<i>Čedomir Radović, Marija Gogić, Dragan Radojković, Vladimir Živković, Nenad Parunović, Aleksandar Stanojković, Radomir Savić</i> AGRO BIODIVERSITY AND LIVESTOCK FARMING: AUTOCHTHONOUS SPECIES AND BREEDS IN SERBIA (Serbia).....	1-12
<i>Vesna Gantner, Irena Jug</i> THE FUTURE OF AGRICULTURE PRODUCTION – COULD THE FORECASTED EVENTS BE ALTERED? (Croatia).....	13-22
<i>Slavča Hristov, Dušica Ostojić Andrić, Branislav Stanković</i> GENERAL PRINCIPLES AND GOOD ANIMAL WELFARE PRACTICES ON DAIRY CATTLE FARMS (Serbia).....	23-38
<i>Dušica Ostojić Andrić, Slavča Hristov, Radica Đedović, Teodora Popova, Vlada Pantelić, Dragan Nikšić, Nenad Mićić</i> EMOTIONAL STATE OF DAIRY COWS IN LOOSE AND TIED HOUSING SYSTEM - IS THERE A DIFFERENCE? (Serbia-Bulgaria).....	39-47
<i>Pero Mijić, Tina Bobić, Mirjana Baban, Maja Gregić, Franjo Poljak, Vesna Gantner</i> EFFECT OF STARTING MILK FLOW ON UDDER HEALT OF HOLSTEIN COWS (Croatia).....	48-54
<i>Dragan Nikšić, Vlada Pantelić, Dušica Ostojić Andrić, Predrag Perišić, Nenad Mićić, Marina Lazarević, Maja Petričević</i> FREQUENCY OF κ -CASEIN AND β -LACTOGLOBULIN GENOTYPES IN DAUGHTERS OF FIVE SIMMENTAL BULL SIRES (Serbia).....	55-63
<i>Marina I. Selionova, Magomet M. Aybazov, Milan P. Petrović, Galina T. Bobryshova, Violeta Caro Petrović</i> SCIENTIFIC DIRECTIONS OF SHEEP BREEDING DEVELOPMENT IN RUSSIA (Russia-Serbia).....	64-73
<i>Yessenbay E. Islamov, Gulzhan A. Kulmanova</i> CONDITION AND PROSPECTS OF SHEEP BREEDING DEVELOPMENT IN KAZAKHSTAN (Kazakhstan).....	74-85

<i>Violeta Caro Petrović, Milan P. Petrović Marina I. Selionova, Dragana Ružić-Muslić, Nevena Maksimović, Bogdan Cekić, Ivan Pavlović</i>	
SOME NON-GENETIC FACTORS AFFECTING LAMBS BIRTH WEIGHT IN F1 GENERATION OF MIS X ILE DE FRANCE (Serbia).....	86-93
<i>Marjeta Čandek-Potokar, Nina Batorek Lukač, Urška Tomažin, Rosa Nieto</i>	
GROWTH RATE OF LOCAL PIG BREEDS: STUDY OF PROJECT TREASURE (Slovenia-Spain).....	94-104
<i>Dubravko Škorput, Zoran Luković</i>	
SELECTION OPPORTUNITIES AND MAINTAINING GENETIC DIVERSITY IN LOCAL PIG BREEDS (Croatia).....	105-114
<i>Juan M. García Casco, Juan L. Duarte, Carmen Caraballo, Miguel A. Fernández, Patricia Palma, María Muñoz</i>	
A GENETIC EVALUATION PROGRAM FOR MEAT QUALITY TRAITS IN IBERIAN BOARS FROM DIFFERENT LIVESTOCK ORIGINS (Spain).....	115-122
<i>Patricia Palma Granados, Isabel Seiquer, Luis Lara, Ana Haro, Rosa Nieto</i>	
PROTEIN AND LIPID METABOLISM AND THEIR INTERACTION IN FATTY (IBERIAN) PIGS (Spain).....	123-136
<i>Giacomo Biagi, Monica Grandi, Carlo Pinna, Carla Giuditta Vecchiato</i>	
HOW NUTRITION MAY INFLUENCE CANINE BEHAVIOR AND COGNITIVE ABILITIES (Italy).....	137-147
<i>Aleksandar Stanojković, Čedomir Radović, Aleksandra Stanojković- Sebić, Marija Gogić, Violeta Mandić, Jakov Nišavić, Maja Petričević</i>	
ANTIMICROBIAL SUSCEPTIBILITY TESTING OF <i>STREPTOCOCCUS SUIS</i> ISOLATES TO COMMON ANTIBIOTICS USED IN PIG FARMS (Serbia).....	148-156
<i>Władysław Migdał, Bartosz Klusek, Łukasz Migdał, Anna Migdał, Maria Walczycka, Ewelina Węsierska, Marzena Zająć, Joanna Tkaczewska, Piotr Kulawik</i>	
THE CHEMICAL COMPOSITION AND QUALITY OF MEAT POLISH NATIVE CATTLE BREEDS (Poland).....	157-166

<i>Yalçın Bozkurt, Tuncay Aydogan, Cevdet Gokhan Tuzun, Cihan Dogan</i>	
A COMPUTERISED SYSTEM FOR PREDICTION OF SLAUGHTERING CHARACTERISTICS OF BEEF CATTLE (Turkey).....	167-176
<i>Maja Petričević, Dušan Živković, Dušica Ostojić Andrić, Dragan Nikšić, Veselin Petričević, Marija Gogić, Violeta Mandić</i>	
THE EFFECT OF THE FLAX SEEDS NUTRITION OF CATTLE ON PRODUCTION AND SLAUGHTER PROPERTIES (Serbia)....	177-185
<i>Giuseppe Bee, Antonia Katharina Ruckli</i>	
MORINGA OLEIFERA, AN ALTERNATIVE PROTEIN SOURCE TO SOYA IN PIG PRODUCTION? (Switzerland-Austria).....	186-190
<i>Miloš Lukić, Zdenka Škrbić, Veselin Petričević, Vesna Krnjaja, Zorica Bijelić, Nikola Delić</i>	
LAYING HENS MANAGEMENT AND NUTRITION FOR MAXIMAL EGG PRODUCTION AT 100 WEEKS OF AGE (Serbia).....	191-202
<i>Tanja Petrović, Snežana Stevanović, Dragana Paunović, Jasmina Rajić, Viktor Nedović</i>	
INNOVATION IN MEAT PACKAGING (Serbia).....	203-218
<i>Zorica Bijelić, Violeta Mandić, Vesna Krnjaja, Dragana Ružić-Muslić, Aleksandar Simić, Zdenka Škrbić, Dušica Ostojić Andrić</i>	
NITROGEN STATUS EVALUATION OF GRASS-LEGUME SWARDS UNDER FOUR N FERTILIZATION LEVELS (Serbia)	219-229
<i>Violeta Mandić, Zorica Bijelić, Vesna Krnjaja, Maja Petričević, Aleksandar Stanojković, Marija Gogić, Aleksandar Simić</i>	
SALINITY STRESS EFFECT ON SEED GERMINATION AND SEEDLING GROWTH OF SOME CROP PLANTS (Serbia).....	230-240

ORALLY PRESENTED PAPERS

<i>Martin Wähner</i>	
PERSPECTIVES IN PIG FARMING IN GERMANY (Germany)..	241-249

<i>Jovan Bojkovski, Jasna Prodanov-Radulović, Milica Živkov-Baloš, Radiša Prodanović, Sreten Nedić, Sveta Arsić, Ivan Vujanac, Ivan Doborsavljević, Suzana Đedović, Renata Relić, Dušica Ostojić Andrić</i>	
BODY SCORE CONDITION OF SOWS AND THE THIN SOW SYNDROME AS HEALTH PROBLEMS ON COMMERCIAL FARMS (Serbia).....	250-258
<i>Miguel Moreno-Millán, Delia Saleno, Gabriel Anaya, Yamila Pirosanto, Florencia Azcona, Olivia Marcuzzi, Antonio Molina, Sebastián Demyda-Peyrás</i>	
A COMBINATION OF KARIOTYPING AND MOLECULAR METHODS COULD INCREASE THE DETECTION ACCURACY OF CHROMOSOMAL ABNORMALITIES IN HORSES: A CASE REPORT IN PURA RAZA ESPAÑOL HORSE (Spain-Argentina)	259-266
<i>Maha I. Hamed, Taha A. A. El-Allawy, Esraa A. Hassnein</i>	
EPIDEMIOLOGICAL AND THERAPEUTICAL STUDIES ON STRONGYLE INFECTION OF DONKEYS IN EGYPT (Egypt)..	267-284
<i>Ivan Pavlović, Snežana Ivanović, Milan P. Petrović, Violeta Caro Petrović, Dragan Ružić-Muslić, Nevena Maksimović, Bogdan Cekić</i>	
SEASON DISTRIBUTION OF GASTROTESTINAL HELMINTHS OF GOATS KEPT UNDER SEMI-INTENSIVE CONDITIONES IN NORTH WEST SERBIA (Serbia).....	285-292
<i>Antonov Valeryi Alekseevich, Grishina Marina Anatolievna, Nikolaev Sergei Ivanovich, Itskovich Aleksandr Yurievich</i>	
INCLUSION SPORE PROBIOTICS «ENSIMSPORIN» IN RATIONS OF SWINES AND ITS EFFECTS ON PRODUCTIVITY, NON-SPECIFIC AND SPECIAL RESISTANCE OF PREGNANT AND LACTATING SOWS (Russia)	293-304
<i>Łukasz Migdał, Krzysztof Krzysztoforski, Anna Migdał, Władysław Migdał</i>	
THE INFLUENCE OF AGE AND BREED OF PIGS ON THE CONTENT OF TOTAL AND SOLUBLE INTRAMUSCULAR COLLAGEN (Poland).....	305-315
<i>Ivan Yanchev, Kamelia Kancheva</i>	
POSIBILITIES FOR UTILIZATION OF CARBON DIOXIDE FROM POULTRY IN GREENHOUSE PLANTED LETTUCE (<i>LACTUCA SATIVA</i>) (Bulgaria).....	316-325

POSTER SECTION I

Marinela Enculescu

- EVALUATION OF THE HAEMATOLOGICAL PROFILE AND SERUM ENZYMES DURING THE TRANSITION PERIOD IN DAIRY COWS (Romania)..... 326-335

Muamer Pekmez, Admir Dokso, Muhamed Brka

- EXTERNAL CHARACTERISTICS OF HOLSTEIN-FRIESIAN BREED ON AREA OF FEDERATION OF BOSNIA AND HERZEGOVINA (Bosnia and Herzegovina)..... 336-341

Miloš Marinković, Predrag Perišić, Dušica Ostojić Andrić, Vlada Pantelić, Nikola Molerović, Nenad Mićić, Vladimir Živković
THE EFFECT OF SIRES ON THE SEMEN QUALITY OF HOLSTEIN-FRIESIAN BULLS (Serbia).....

342-351

Ivan Čosić, Dragana Ružić Muslić, Nevena Maksimović, Bogdan Cekić, Dragan Nikšić, Nenad Mićić, Miloš Marinković
THE EFFECT OF PARTICULAR PARAGENETIC FACTORS ON FERTILITY AND MILK PERFORMANCE PROPERTIES OF COWS (Serbia).....

352-362

Nenad Mićić, Miloš Marinković, Vlada Pantelić, Dragan Nikšić, Marina Lazarević, Nikola Molerović, Ivan Čosić
PRODUCTION PERFORMANCES AND HERD BOOK OF SIMMENTAL AND HOLSTEIN FRIESIAN CATTLE IN CENTRAL SERBIA (Serbia).....

363-372

Madlena Andreeva, Nikola Metodiev, Bogdan Cekić, Rossen Stefanov
STUDY OF THE EFFECTS OF LOW TEMPERATURES ON THE MORPHOLOGICAL STATUS OF RAM SPERMATOZOA (Bulgaria-Serbia).....

373-381

Tsonka Odjakova, Pavel Todorov, Atanaska Zgurova
MONITORING AND TRENDS FOR DEVELOPMENT OF SREDNORHODOPSKA SHEEP (Bulgaria).....

382-392

<i>Rossen Stefanov, Georgi Anev, Madlena Andreeva, Plamen Todorov, Nevena Maksimovic</i>	DIFFERENT OESTRUS SYNCHRONIZATION PROTOCOLS IN LACTING NORTH-EAST BULGARIAN MERINO SHEEP IN ANESTRAL PERIOD (Bulgaria-Serbia).....	393-400
<i>Daniela Miteva, Stayka Laleva, Teodora Angelova, Daniela Yordanova, Nikolay Ivanov</i>	QUALITY MILK COMPOSITION AND COAGULATION ABILITY IN SHEEP FROM THE BULGARIAN DAIRY SYNTHETIC POPULATION WITH DIFFERENT GENOTYPES (Bulgaria).....	401-410
<i>Jaroslava Bělková, Miroslav Rozkot, Eva Václavková</i>	THE PIG PRODUCTION IN THE CZECH REPUBLIC - REQUIREMENTS FOR FARROWING MANAGEMENT IN HIGHLY PROLIFERATIVE SOWS (Czech Republic).....	411-422
<i>Oleksandr Tsereniuk, Oleksandr Akimov, Yuriy Chereuta, Mikola Kosov</i>	FEATURES OF SPERM INJECTION INTO GENITAL TRACTS OF SOWS AND GILTS IN ARTIFICIAL INSEMINATION (Ukraine).....	423-430
<i>Nenad Stojiljković, Dragan Radojković, Čedomir Radović, Marija Gogić, Vladimir Živković, Radomir Savić, Aleksandar Stanojković</i>	THE VARIABILITY OF ECONOMICALLY IMPORTANT TRAITS MONITORED IN THE PERFORMANCE TEST OF GILTS UNDER THE INFLUENCE OF FARM, YEAR AND SIRE BREED (Serbia).....	431-441
<i>Elena Cibotaru, Grigore Darie, Alisa Pirlog, Doina Plesca</i>	THE ROLE OF ANTIOXIDANTS IN BOAR SEMEN PRESERVATION (Moldova).....	442-448
<i>Ksenija Nešić, Marija Pavlović, Vladimir Radosavljević</i>	INSECTS – A NEW BRANCH OF ANIMAL HUSBANDRY? (Serbia).....	449-458
<i>Mirna Gavran, Dragan Dokić, Maja Gregić, Vesna Gantner</i>	THE ASSOCIATION OF ROE DEER POPULATION WITH WEATHER CONDITIONS IN HUNTING AREA IN EASTERN CROATIA IN PERIOD 2008-2018 (Croatia).....	459-467

<i>Rositsa Shumkova, Ralitsa Balkanska</i>	
INFLUENCE OF MICROBIOLOGICAL PRODUCT BAIKAL EM1 ON THE DEVELOPMENT OF HYPOPHARYNGEAL GLANDS ON WORKER BEES AND THORACIC GLANDS ON WORKER BEES AND BEE DRONES (Bulgaria).....	468-478
<i>Dragan Dokić, Maja Gregić, Mirna Gavran, Vesna Gantner</i>	
SIGNIFICANCE OF INVESTMENTS IN AGRICULTURAL PRODUCTION ON THE EXAMPLE OF THE RURAL COUNTIES OF THE REPUBLIC OF CROATIA (Croatia).....	479-487
 POSTER SECTION II	
<i>Radojica Djoković, Zoran Ilić, Marko Cincović, Vladimir Kurćubić, Miloš Petrović, Milan P. Petrović, Violeta Caro Petrović</i>	
INSULIN RESISTANCE IN DAIRY COWS (Serbia).....	488-504
<i>Goran Vučković, Mirna Gavran, Maja Gregić, Pero Mijić, Ranko Gantner, Marcela Šperanda, Vesna Gantner</i>	
THE INFLUENCE OF MASTITIS RISK ON RESPONSE TO HEAT STRESS IN DAIRY SIMMENTAL COWS (Croatia).....	505-515
<i>Mahmoud R. Abd Ellah, Ghada I. Soliman, Mohamed A.H. Abd Elhakeim, Hanan K. Elsayed</i>	
EFFECT OF NATURAL <i>STRONGYLUS</i> spp. INFECTIONS ON SYNOVIAL FLUID CONSTITUENTS IN DONKEYS (Egypt)...	516-525
<i>Jasna M. Kureljušić, Aleksandra Tasić, Jadranka Žutić, Branislav Kureljušić, Ljiljana Spalević, Suzana Vidaković, Dragana Ljubojević</i>	
SURVIVAL OF SALMONELLA IN PIG CARCASSES IN SLAUGHTERHOUSES (Serbia).....	526-532
<i>Jadranka Žutić, Olivera Valčić, Branislav Kureljušić, Dobrila Jakić-Dimić, Jasna Kureljušić, Nemanja Jezdimirović, Nemanja Zdravković</i>	
SEROPREVALENCE TO <i>MYCOPLASMA HYOPNEUMONIAE</i> IN GILTS AND SOWS (Serbia).....	533-540
<i>Dragana B. Ljubojević Pelić, Suzana Vidaković, Sandra Jakšić, Miloš Pelić, Jelena Vranešević, Jasna Kureljušić, Brankica Kartalović, Milica Živkov Baloš</i>	
THE OCCURRENCE OF RESIDUE OF ANTIBIOTICS AND SULPHONAMIDES IN DIFFERENT TYPES OF HONEY (Serbia)	541-547

<i>Ivan Mičić, Zoran Rajić, Marija Mičić</i> ECONOMICS OF SUSTAINABLE AGRICULTURAL PRODUCTION AND ANALYSIS MACROINVERTEBRATES OF WATER SOURCES IN SERBIA (Bosnia and Herzegovina-Serbia).....	548-557
POSTER SECTION III	
<i>Bojan Stojanović, Goran Grubić, Nenad Đorđević, Aleksa Božičković, Aleksandar Simić, Vesna Davidović, Aleksandra Ivetić</i> EFFICIENCY OF PROTEIN UTILIZATION BY GRAZING RUMINANTS AND POSSIBILITY FOR IMPROVEMENT (Serbia).....	558-568
<i>Dragana Ružić-Muslić, Milan P. Petrović, Zorica Bijelić, Violeta Caro Petrović, Nevena Maksimović, Bogdan Cekić, Ivan Čosić</i> ALTERNATIVE SOURCES OF PROTEIN IN LAMB DIET (Serbia).....	569-579
<i>Vesna Krnjaja, Slavica Stanković, Ana Obradović, Tanja Petrović, Violeta Mandić, Zorica Bijelić, Marko Jauković</i> THE EFFECT OF CLIMATE CONDITIONS ON AFLATOXIN CONTAMINATION OF CEREAL GRAINS AND FEEDS (Serbia)	580-591
<i>Marija Pavlović, Aleksandra Tasić, Ksenija Nešić, Snežana Ivanović</i> SACCHAROMYCES CEREVISIAE IN FEED FOR RUMINANTS (Serbia).....	592-600
<i>Daniela Yordanova, Georgi Kalaydzhev, Stayka Laleva, Vladimir Karabashev, Teodora Angelova, Evgeni Videv</i> IN VITRO ANALYSIS OF GAS PRODUCTION OF ROUGH AND JUICY FEEDS WITH FRESH AND LYOPHILIZED RUMEN FLUID (Bulgaria).....	601-609
<i>Marzena Zająć, Joanna Tkaczewska, Piotr Kulawik, Paulina Guzik, Bronisław Borys, Władysław Migdał</i> COMPARING THE CHEMICAL COMPOSITION OF THE LAMB MEAT OF VARIOUS NATIVE BREEDS (Poland).....	610-617
<i>Vladimir Dosković, Snežana Bogosavljević-Bošković, Lidija Perić, Zdenka Škrbić, Simeon Rakonjac, Veselin Petričević</i> MEAT QUALITY OF BROILERS IN AN EXTENDED FATENING PERIOD (Serbia).....	618-624

<i>Zdenka Škrbić, Miloš Lukić, Veselin Petričević, Snežana Bogosavljević-Bošković, Simeon Rakonjac, Vladimir Dosković, Nataša Tolimir</i>	
EGG QUALITY OF COMMERCIAL LAYER HYBRID KEPT IN DIFFERENT HOUSING SYSTEMS (Serbia).....	625-632
<i>Nataša Tolimir, Marijana Maslovarić, Zdenka Škrbić, Borislav Rajković, Robert Radišić, Miloš Lukić</i>	
PREFERENCES OF CONSUMERS/CUSTOMERS FROM SERBIA TOWARD ORGANIC EGGS (Serbia).....	633-642
<i>Teodora Popova, Jivko Nakev</i>	
FATTY ACID COMPOSITION OF MUSCLE AND BACKFAT IN PIG BREEDS AND CROSSBREEDS (Bulgaria).....	643-652
<i>Vladimir Živković, Łukasz Migdał, Władysław Migdał, Ćedomir Radović, Marija Gogić, Slavča Hristov, Nenad Stojiljković</i>	
INFLUENCE OF SIRE BREED ON MEATINESS OF PIG CARCASS (Serbia-Poland).....	653-658
<i>Milica Živkov Baloš, Sandra Jakšić, Nenad Popov, Suzana Vidaković, Dragana Ljubojević Pelić, Jasna Prodanov Radulović, Željko Mihaljev</i>	
ELECTRICAL CONDUCTIVITY OF DIFFERENT TYPES OF THE SERBIAN HONEY (Serbia).....	659-665
<i>Aleksandra M. Tasić, Tijana D. Mitrović, Marija Pavlović, Jasna Kureljušić</i>	
A COMPARISON OF TWO METHODS FOR DETERMINATION OF HMF IN HONEY: HPLC METHOD VERSUS SPECTROPHOTOMETRIC METHOD (Serbia).....	666-673
<i>Jordan Marković, Tanja Vasić, Dragan Terzić, Dragoslav Đokić, Jasmina Milenković, Mladen Prijović, Đorđe Lazarević</i>	
CARBOHYDRATE AND PROTEIN FRACTIONS, AND FERMENTATION CHARACTERISTICS OF COMMON VETCH – OAT SILAGES (Serbia).....	674-683
<i>Vesna Dragičević, Milena Simić, Branka Kresović, Milan Brankov</i>	
HOW CROPPING SYSTEMS AFFECT PHOTOSYNTHETIC PIGMENTS AND MAIZE GRAIN YIELD (Serbia).....	684-694

<i>Milena Milenković, Milena Simić, Milan Brankov, Vesna Perić, Miodrag Tolimir, Vesna Dragičević</i>	
COMPETITIVE ABILITY OF SOYBEAN AND PROSO MILLET IN DIFFERENT INTERCROP COMBINATIONS (Serbia).....	695-703
<i>Tanja Vasić, Snežana Andjelković, Jordan Marković, Sanja Živković, Đorđe Lazarević, Mladen Prijović</i>	
MYCOPOPULATION OF DIFFERENT FABA BEAN GENOTYPES IN SERBIA (Serbia).....	704-711

MEAT QUALITY OF BROILERS IN AN EXTENDED FATTENING PERIOD

Vladimir Dosković¹, Snežana Bogosavljević-Bošković¹, Lidija Perić²,
Zdenka Škrbić³, Simeon Rakonjac¹, Veselin Petričević³

¹ Faculty of Agronomy, University of Kragujevac, Cara Dušana 34, 32000 Čačak, Serbia

² Faculty of Agriculture, University of Novi Sad, trg Dositeja Obradovića 8, 21101 Novi Sad, Serbia

³ Institute for Animal Husbandry, Autoput 16, P. Fah 23, 11080, Belgrade-Zemun, Serbia

Corresponding author: Vladimir Dosković, vladosko@kg.ac.rs

Original scientific paper

Abstract: This study evaluates the effect of protease-supplemented diets containing different crude protein levels, sex and length of the fattening period on the weight and percentage yield of primal cuts in Cobb 500 broilers. Chickens were fed maize-and-soybean-based diets. Fattening periods lasted 49 and 63 days. The results showed that the recommended crude protein reduction by 4% in diets supplemented with 0.2% protease had no effect on the weight and percentage yield of primal cuts ($P>0.05$), while the effect of broiler sex and slaughter age on the studied carcass quality parameters was significant ($P<0.05$).

Keywords: broilers, protease, sex, fattening period

Introduction

In the last several decades, broiler chickens have increasingly been reared in non-standard i.e. non-commercial systems. Modifications of conventional commercial production systems involve using other hybrids (medium growing hybrids, slow growing hybrids, fattening breeds of hens), reducing stocking density (often allowing access to an outdoor grass range) and feeding new formulas (particularly to improve nutrient digestibility, health and immunity, etc.). As explained by broiler farmers and experts, major reasons for these modifications include the improvement of farm animal welfare and poultry meat quality, and reduction of environmental pollution.

Numerous researchers have investigated alternative broiler fattening systems from the viewpoint of: genotype (Škrbić *et al.* 2007, Meluzzi *et al.* 2009, Madeira *et al.* 2011), stocking density (Beg *et al.* 2011), fattening period (Mitrović *et al.* 2010, Bogosavljević-Bošković *et al.* 2011), dietary protein reduction

(Horniakova and Abas, 2009), and enzyme supplementation (Dosković *et al.* 2017, Vojtěch *et al.* 2016, Mohammadigheisar and Kim 2018).

This study evaluates the quality of meat from fast growing Cobb 500 male and female broiler chickens receiving protease supplemented diets over an extended fattening period (49 and 63 days). The weights and percentage yields of primal cuts were used as meat quality parameters.

Materials and Methods

The broiler feeding trial lasted 63 days. The Cobb 500 broiler chickens used as the experimental material were allocated to 2 feeding groups: a control group – C (100 broilers, a standard diet containing maize and soybean meal) and an experimental group – E-1 (100 broilers, a diet reduced in crude protein by 4% and supplemented with 0.2% Ronozyme ProAct protease).

On days 49 and 63 of the feeding trial, 10 males and 10 females were randomly selected from each group, slaughtered and processed (*Commission Regulation (EC) No. 543/2008*), and their carcasses were weighed and dissected into primal cuts i.e. breasts, thighs, drumsticks, wings, back and pelvis. The weights of primal cuts were used for the calculation of their percentage yields in the dressed carcass.

Data sets were statistically analysed by a three-way analysis of variance in a 2 x 2 x 2 design (2 diets, 2 fattening periods – FP, 2 sexes), F-test and LSD test ($P<0.05$) using *Statistica for Windows Release 6.0* (1995).

Results and Discussion

Table 1 shows the weights of primal cuts of male and female broilers at 49 and 63 days of age across experimental groups.

The statistical analysis of the data on the weights of primal cuts of broilers shows similar responses of broilers to dietary treatments given their approximately equal weights of primal carcass cuts ($P>0.05$). Extended fattening led to an increase in body weight and, hence, weight of primal cuts ($P<0.05$). Moreover, males had greater carcass weights and, hence, greater weights of primal cuts ($P<0.05$). Nikolova and Pavlovski (2009) also determined that broiler sex and slaughter age of the same hybrid (Cobb 500) broilers had a significant effect on breast, drumstick and thigh weights. Somewhat smaller weights of primal cuts in Cobb 500 broilers at 49 days of age were reported by Abera *et al.* (2017), who also found a significant effect of sex on breast and thigh weights, and an effect of fattening period (49 and 56 days) on the weights of drumsticks, thighs and wings.

Table 1. Weights of primal cuts across treatments, gr

Diet	Fattening period, days	Sex		Breast	Dumsticks	Thighs	Wings	Back	Pelvis		
C	49	σ	\bar{x}	856.3 ^{bcd}	361.9 ^b	412.9 ^b	285.4 ^b	304.8 ^{bc}	272.8 ^b		
			Sd	43.7	27.9	23.5	15.5	23.2	18.3		
		φ	\bar{x}	741.1 ^d	290.9 ^c	341.8 ^d	238.3 ^c	262.3 ^d	219.6 ^c		
			Sd	65.7	22.0	27.5	9.8	28.1	14.3		
	63	σ	\bar{x}	1085.9 ^a	435.9 ^a	537.5 ^a	337.7 ^a	379.3 ^a	328.1 ^a		
			Sd	209.8	35.4	43.9	27.1	23.7	27.7		
		φ	\bar{x}	951.5 ^{ab}	332.4 ^b	406.5 ^b	257.1 ^c	306.8 ^{bc}	273.3 ^b		
			Sd	141.1	33.3	54.1	11.4	22.3	24.6		
E-1	49	σ	\bar{x}	803.8 ^{bcd}	343.7 ^b	397.3 ^{bc}	275.1 ^b	317.9 ^b	268.5 ^b		
			Sd	73.11	11.9	29.7	11.9	24.1	22.1		
		φ	\bar{x}	778.9 ^{cd}	281.4 ^c	347.3 ^{cd}	229.2 ^c	231.6 ^c	221.4 ^c		
			Sd	109.2	15.6	25.2	15.6	31.4	16.9		
	63	σ	\bar{x}	1110.7 ^a	426.6 ^a	516.4 ^a	329.1 ^a	378.0 ^a	328.9 ^a		
			Sd	163.3	38.2	40.9	25.7	43.2	32.7		
		φ	\bar{x}	968.0 ^{ab}	332.6 ^b	406.4 ^b	275.4 ^b	297.9 ^c	279.0 ^b		
			Sd	145.7	21.1	36.2	22.7	27.1	23.5		
p-value											
Source of variation				ns	ns	ns	ns	ns	ns		
Diet				ns	ns	ns	ns	ns	ns		
Fattening period				P<0.05	P<0.05	P<0.05	P<0.05	P<0.05	P<0.05		
Sex				P<0.05	P<0.05	P<0.05	P<0.05	P<0.05	P<0.05		
Diet x fattening period				ns	ns	ns	ns	ns	ns		
Diet x sex				ns	ns	ns	ns	ns	ns		
Fattening period x sex				ns	P<0.05	P<0.05	P<0.05	ns	ns		
Diet x fattening period x sex				ns	ns	ns	ns	ns	ns		

a-e Means followed by different superscript letters within columns differ significantly (P<0.05)

Table 2 presents the percentage yields of primal cuts in the dressed carcasses of broilers of different age and sex groups.

Table 2. Percentage yield of primal carcass cuts of broilers on days 49 and 63 of the fattening trial, %

Diet	Fattening period, days	Sex		Breast	Drumsticks	Thighs	Wings	Back	Pelvis		
C	49	♂	X	33.17 ^c	14.01 ^a	15.96 ^{ab}	11.06 ^a	11.80 ^{ab}	10.57		
			Sd	1.31	0.83	0.67	0.53	0.79	0.67		
		♀	X	34.03 ^{abc}	13.38 ^{ab}	15.70 ^{ab}	10.97 ^a	12.03 ^{ab}	10.11		
			Sd	1.80	0.83	0.70	0.55	0.84	0.68		
	63	♂	X	33.60 ^{abc}	13.60 ^{ab}	16.78 ^a	10.53 ^{ab}	11.88 ^{ab}	10.23		
			Sd	4.75	1.16	1.50	0.83	1.38	0.83		
		♀	X	35.75 ^{ab}	12.55 ^b	15.31 ^{ab}	9.75 ^b	11.62 ^{ab}	10.32		
			Sd	2.66	0.79	1.19	0.80	0.85	0.57		
E-1	49	♂	X	32.09 ^c	13.75 ^a	15.87 ^{ab}	11.00 ^a	12.70 ^a	10.74		
			Sd	1.90	0.42	0.66	0.26	0.63	0.88		
		♀	X	35.77 ^{ab}	13.00 ^{ab}	16.05 ^{ab}	10.58 ^{ab}	10.66 ^b	10.19		
			Sd	4.02	1.11	1.55	0.85	1.34	0.52		
	63	♂	X	34.61 ^{abc}	13.36 ^{ab}	16.18 ^{ab}	10.32 ^{ab}	11.82 ^{ab}	10.33		
			Sd	2.75	0.66	0.93	0.60	0.95	1.06		
		♀	X	36.20 ^a	12.51 ^b	15.27 ^b	10.37 ^{ab}	11.23 ^b	10.51		
			Sd	3.21	0.52	0.76	0.84	1.04	0.81		
p-value											
Source of variation											
Diet				ns	ns	ns	ns	ns	ns		
Fattening period				ns	P<0.05	ns	P<0.05	ns	ns		
Sex				P<0.05	P<0.05	P<0.05	ns	P<0.05	ns		
Diet x fattening period				ns	ns	ns	ns	ns	ns		
Diet x sex				ns	ns	ns	ns	ns	ns		
Fattening period x sex				ns	ns	P<0.05	ns	ns	ns		
Diet x fattening period x sex				ns	ns	ns	ns	P<0.05	ns		

^{a-c} Means followed by different superscript letters within columns differ significantly (P<0.05)

As shown by the results in Table 2, broiler diet had no effect on the percentage yields of primal cuts (breasts, drumsticks, thighs, wings, back, pelvis) (P>0.05). Similarly, crude protein reduction in broiler diet supplemented with protease (0.05% and 0.1% Ronozyme Pro Act) had no effect on some carcass quality traits (breast, liver and heart yields) in a study by *Mohammadigheisar and Kim (2018)*. Significant differences were observed in the percentage yields of some primal cuts between male and female broilers, as well as between different broiler age groups (P<0.05). Females had greater breast yields and lower drumstick yields compared to males (P<0.05), and their wing yields in the dressed carcass at 49 days of the fattening trial were higher than in male broilers of 63 days of age (P<0.05),

whereas the percentage yields of the other primal cuts did not significantly differ between the sexes and slaughter age groups ($P>0.05$). In 49-day-old Cobb 500 broilers, *Fomentini et al.* (2016) determined the percentage yields of 36.9% for breasts, 15% for drumsticks and 15.8% for thighs. The results reported by *Moreira et al.* (2003) were similar to the present data i.e. the authors found no significant difference in the percentage yields of breasts, thighs and drumsticks across slaughter age and sex groups. In Cobb 500 broilers at 49 days of age, *Fernandes et al.* (2013) obtained the percentage yields of 23.2% for breasts, 33.98% for thighs and drumsticks, and 10.95% for wings, and found no dependence of the percentage yields of breasts, thighs, drumsticks and wings on sex and age, while interactions often occur as the result of the effect of hybrid, sex and slaughter age. *Nikolova and Pavlovski* (2009) stressed that sex affects the percentage yield of thighs (lower values were found in females than in males), while having no effect on breast and drumstick yields, and that extended fattening leads to an increase in the percentage yields of the three primal cuts. In contrast, *Bogosavljević-Bošković et al.* (2011) found no effect of slaughter age on the percentage yields of primal cuts in Cobb 500 broilers, but observed significant differences between the sexes in the percentage yields of breasts, thighs and drumsticks (females had higher breast yields, while male broilers had higher thigh and drumstick yields).

Conclusion

The results of the present research indicate that:

- protease supplementation (0.2%) of broiler diets containing crude protein levels reduced by 4% had no effect on the weights and percentage yields of primal cuts (breasts, thighs, drumsticks, wings, back, pelvis),
- significant differences ($P<0.05$) were observed between male and female broilers in primal cut weights (higher values found in males) and breast and drumstick yields (females had greater breast yields and lower drumstick yields, $P<0.05$),
- the 14-day extension of the fattening period (from 49 to 63 days) resulted in increased weights of primal cuts ($P<0.05$), whereas the percentage yields of primal cuts in the dressed carcass showed no significant differences ($P>0.05$) between the two age groups of broilers (only the percentage yield of wings at 49 days of the feeding trial was higher than in broilers aged 63 days, $P<0.05$).

Kvalitet mesa brojlera iz produženog trajanja tova

*Vladimir Dosković, Snežana Bogosavljević-Bošković, Lidija Perić, Zdenka Škrbić,
Simeon Rakonjac, Veselin Petričević*

Rezime

U radu je ispitivan efekat hrane sa različitim nivoom sirovih proteina, uz dodatak enzima protease, pola pilića i vremena trajanja tova na masu i ideo osnovnih delova trupa brojlera hibrida Cobb 500. Pilići su hranjeni potpunim smešama na bazi kukuruza i sojine sačme. Tov pilića trajao je 49 i 63.dana. Na osnovu dobijenih rezultata zaključeno je da predložena supstitucija smanjenja sadržaja sirovih proteina za 4% u odnosu na standardni obrok, uz dodatak 0,2% enzima protease, nije uticala na masu i ideo osnovnih delova trupa ($P>0,05$), kao i da se ispoljio značajan efekat pola pilića i vremena klanja pilića na ispitivane parametre kvaliteta trupa brojlera ($P<0,05$).

Ključne reči: brojleri, proteaza, pol, trajanje tova.

Acknowledgment

This study is part of Project No. 31033 titled “Sustainable Conventional and Revitalised Traditional Production of Value-Added Poultry Meat and Eggs” funded by the Ministry of Science and Technological Development of the Republic of Serbia.

References

- ABERA D., ABEBE A., BEGNA F., TAREKEGN A., ALEWI M. (2017): Growth Performance, Feasibility and Carcass Characteristics of Cobb 500 Commercial Broiler Under Small-scale Production in Western Ethiopia. Asian Journal of Poultry Science, 11(1), 49-56.
- BEG M.A.H., BAQUI M.A., SARKER N.R., HOSSAIN M.M. (2011): Effect of Stocking Density and Feeding Regime on Performance of Broiler Chickens in Summer Season. International Journal of Poultry Science 10 (5), 365-375.
- BOGOSAVLJEVIĆ-BOŠKOVIĆ SNEŽANA, MITROVIĆ S., DOSKOVIĆ V., RAKONJAC S., PETROVIĆ D.M. (2011): Broiler meat quality: the effect of rearing systems and lenght of fattening period. Biotechnology in Animal Husbandry, 3rd International Congress “New Perspectives and Challenges of Sustainable Livestock Production“ Belgrade, Republic of Serbia, 1636-1642.
- COMMISSION REGULATION (EC) No 543/2008. OJ L 157/46, 17.6.2008.

- DOSKOVIĆ V., BOGOSAVLJEVIĆ-BOŠKOVIĆ SNEŽANA, ŠKRBIĆ ZDENKA, ĐOKOVIĆ R., RAKONJAC S., PETRIČEVIĆ V. (2017): Effect of dietary level and lenght of fattening period on dressing percentage and carcass conformation in broiler chickens. *Biotechnology in Animal Husbandry*, 33 (2), 211-219.
- FERNANDES J.I.M., BORTOLUZZI C., TRIQUES G.E., NETO A.F.G., PEITER DANIELA CRISTINA (2013): Effect of strain, sex and age on carcass parameters of broilers. *Acta Scientiarum, Animal Sciences*, 35(1), 99-105.
- FOMENTINI MAÍRA, HAESE D., KILL J.L., SOBREIRO R.P., PUPPO DEL DÉBORA, HADDADE I.R., LIMA LAZARINI ANDERSON, SARAIVA A. (2016): Prebiotic and antimicrobials on performance, carcass characteristics, and antibody production in broilers. *Ciência Rural*, 46(6), 1070-1075.
- HORNIKOVA E., ABAS K.A. (2009): Influence of low levels of protein and sex on carcass traits and nutrient content in broiler meats. *Slovak Journal of Animal Science* 42 (2), 75-78.
- MADEIRA LUCIENE APARECIDA, SARTORI J.R., CACHONI PIZZOLANTE CARLA, SALGADO ÉRIKA, POLITI BRAGA SALDANHA, MAELI DAL PAI SILVA, CARANI FERNANDA REGINA (2011): Tipos de miosinas de linhagens de frangos de corte criados em sistemas de confinamento e semiconfinamento. *Revista Brasileira de Zootecnia* 40 (9), 1961-1967.
- MELUZZI A., SIRRI F., CASTELLINI C., RONCARATI A., MELOTTI P., FRANCHINI A. (2009): Infuence of genotype and feeding on chemical composition of organic chicken meat.. *Italian Journal of Animal Science* vol. 8 (Suppl. 2), 766-768.
- MITROVIĆ S., PUPAVAC S., ĐERMANOVIĆ V., OSTOJIĆ Đ. (2010): Uticaj trajanja tova na proizvodne performanse brojlerskih pilića hibrida Cobb 500. *Zbornik naučnih radova Instituta PKB Agroekonomik* 16 (3-4), 163-170.
- MOHAMMADIGHEISAR M., KIM I.H. (2018): Addition of a protease to low crude protein density diets of broiler chickens. *Journal of Applied Animal Research*, 46 (1), 1377-1381.
- NIKOLOVA N., PAVLOVSKI Z. (2009): Major carcass parts of broiler chicken from different genotype, sex, age and nutrition system. *Biotechnology in Animal Husbandry* 25 (5-6), 1045-1054.
- STATSOFT INC. STATISTICA FOR WINDOWS (1995): Version 6.0, Computer program manual. Tulsa: StatSoft Jnc.
- ŠKRBIĆ Z., PAVLOVSKI Z., LUKIĆ M. (2007): The effect of fattening duration in different rearing systems on slaughter traits of broiler chickens of genotype Redbro. *Biotechnology in Animal Husbandry* 23 (3-4), 67-74.
- VOJTĚCH RADA, LICHOVNÍKOVÁ MARTINA, FOLTYN M., ŠAFARÍK I. (2016): The effect of exogenous protease in broiler diets on the apparent ileal digestibility of amino acids and on protease activity in jejunum. *Acta Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis*, 64(5), 1645-1652.

**CIP- Каталогизација у публикацији
Народна библиотека Србије**

636/638(082)(0.034.2)

631/635(082)(0.034.2)

INTERNATIONAL Symposium Modern Trends in Livestock Production (12 ; 2019 ; Beograd)

Proceedings [Elektronski izvor] / 12th International Symposium Modern Trends in Livestock Production, 9 -11 October 2019, Belgrade, Serbia ; [organizer] Institute for Animal Husbandry ; [editor Zdenka Škrbić]. - Belgrade : Institute for Animal Husbandry, 2019 (Belgrade : Institute for Animal Husbandry). - 1 USB fleš memorija ; 1 x 1 x 3 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. - Tiraž 150. - Bibliografija uz svaki rad.

ISBN 978-86-82431-76-3

а) Сточарство -- Зборници б) Пољопривреда -- Зборници

COBISS.SR-ID 279920908



**12th INTERNATIONAL SYMPOSIUM
MODERN TRENDS IN LIVESTOCK PRODUCTION**
9 - 11 October 2019 - Belgrade, Serbia

PROCEEDINGS

INSTITUTE FOR ANIMAL HUSBANDRY
Autoput 16, P. Box 23, 11080, Belgrade - Zemun, Serbia
www.istocar.bg.ac.rs

ISBN 978-86-82431-76-3

